

Acute diverticulitis no worse in younger patients

April 29 2016



(HealthDay)—Younger patients do not have worse clinical presentation



of acute diverticulitis, according to a study published online April 23 in the *Journal of Digestive Diseases*.

Nir Horesh, M.D., from Chaim Sheba Medical Center in Israel, and colleagues retrospectively evaluated first-time patient admissions for acute diverticulitis (January 2004 through December 2013). Patients were categorized by age (50 years and younger [n = 177] or over 50 years [n = 459]).

The researchers found no significant difference between the groups in disease complexity, peritonitis, laboratory workup, vital signs on presentation, bowel obstruction, presence of fistula, or abscess in need of drainage. On CT scan, younger patients had more free extra luminal air. Need for emergency surgery, need for additional surgery, and intraoperative Modified Hinchey score did not differ between the groups. More readmissions due to acute diverticulitis, diverticular complications, and elective surgery were seen in young patients. The older group had longer length of stay and more postoperative complications. There was no difference in mortality.

"Clinical presentation of acute diverticulitis does not seem to be worse in the young population," the authors write. "Younger patients tend to have a more severe presentation on CT scan and more re-admissions, but this did not translate to more severe disease course."

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2016 HealthDay. All rights reserved.

Citation: Acute diverticulitis no worse in younger patients (2016, April 29) retrieved 2 May 2024 from https://medicalxpress.com/news/2016-04-acute-diverticulitis-worse-younger-patients.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.