

## CT CAP rarely reveals acute injury in low-velocity trauma

April 22 2016

---



(HealthDay)—Computed tomographic (CT) chest abdomen pelvis

(CAP) examinations rarely show acute traumatic injury in patients who had a low-velocity trauma but have acute head and/or cervical spine trauma without evidence of bodily injury, according to a study published in the May issue of *Radiology*.

Michael S. Kelleher Jr., M.D., from Yale University in New Haven, Conn., and colleagues retrospectively reviewed medical records and dictated reports from 115 [patients](#) who had CT-documented acute head and/or cervical spine trauma, CT CAP performed at least 20 minutes after initial brain and/or cervical spine CT, and no evidence of bodily injury at physical examination or on initial plain radiographs.

The researchers found that the patients (average age, 67.3 years; 54.8 percent male) had an average injury severity score of 9.3. No patients meeting study criteria were found to have an acute traumatic injury to the chest, abdomen, or pelvis. Over the 15-month study period, these 115 CT CAP examinations accounted for 7.5 percent (115 of 1,530) of all CT CAP examinations performed in the emergency department.

"CT CAP examinations rarely if ever reveal acute [traumatic injury](#) in patients who have experienced low-velocity trauma and have acute head and/or cervical [spine trauma](#) in the absence of evidence of bodily [injury](#)," the authors write.

**More information:** [Abstract](#)  
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: CT CAP rarely reveals acute injury in low-velocity trauma (2016, April 22) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-04-ct-cap-rarely-reveals-acute.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.