

Working nights is bad for the heart

April 27 2016



Working nights is bad for the heart

Working at night is unhealthy for the heart and increases the risk of sustaining coronary heart disease, meaning a disease of the coronary arteries. This is the result of a current, and one of the largest American cooperation studies under the management of Eva Schernhammer of the epidemiology division of MedUni Wien, which was published in the top journal *JAMA* today. First author is Celine Vetter of Harvard University in Boston.

Approximately 240,000 nurses, who were working day and [night shifts](#) at irregular intervals for around five years, were examined in the USA. The pivotal result: nurses, who also work nights for more than ten years

have a 15 - 18% greater risk of developing a [coronary heart disease](#) than those working without nightshifts. However, the risk is also increases significantly after only five years of nightshift.

This also applies for those women who were classified as healthy and had no illnesses prior to entering the nightshift rhythm. Also in previous studies, MedUni Vienna epidemiologist from the Centre for Public Health was able to demonstrate with her research group at Harvard Medical School that - among other - also the breast and bowel cancer risk, the risk for diabetes or hypertension as well as for adiposity is elevated in nightshift workers.

At the same time, the researchers of the Centre for Public Health of MedUni Vienna were able to prove that the risk for coronary [heart disease](#) decreases continuously if the women change to a job exclusively with dayshifts or retire.

"Mini-Jet-Lag" at changes from night to dayshift

For this reason, the scientists recommend generally to reconsider the duty rosters for the nightshift and to offer preventative, company-internal health checks, but possibly also consider the "Chrono type" of the employee during the hiring process. Schernhammer: "Approximately 15% of the population are evening types and 20 % or more are morning types. The rest are mixed types." Sensitive types could suffer a "mini jet lag" along with sleeping disorders at a quick change between [night](#) and dayshifts.

More information: Association between rotating night shift work and risk of coronary heart disease among women. C. Vetter, E. Devore, L. Wegrzyn, J. Massa, F. Speizer, I. Kawachi, B. Rosner, M. Stampfer, E. Schernhammer. *JAMA*, April 26, 2016. jama.jamanetwork.com/article.a... 10.01/jama.2016.4454

Provided by Medical University of Vienna

Citation: Working nights is bad for the heart (2016, April 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2016-04-nights-bad-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.