

Outdoor light has role in reducing short-sightedness in kids

April 6 2016

Increasing exposure to outdoor light is the key to reducing the myopia (short-sightedness) epidemic in children, according to ground-breaking research by Australian optometrists.

Optometrist and lead researcher on the project, Associate Professor Scott Read who is the director of research at QUT's School of Optometry and Vision Science, said children need to spend more than an hour and preferably at least two hours a day outside to help prevent [myopia](#) from developing and progressing.

Speaking at the Australian Vision Convention in Queensland on the weekend, Professor Read said it was not 'near work' on computer and other screens causing myopia, but a lack of adequate outdoor light.

"While screens are contributing to children spending more time indoors than in previous years, the research shows they are not the direct cause of the increased incidence of myopia," he said.

"Optometrists need to make their patients aware that less than 60 minutes' exposure to light outdoors per day is a risk factor for myopia.

"It looks like even for those with myopia already, increasing time outside is likely to reduce progression."

Optometry Australia president Kate Gifford said "this new finding is of significant importance in our endeavour to mitigate the growing rate of

myopia in children."

In February, it was announced that half the world's population will be short-sighted by 2050 with many at risk of blindness.

The global study, published by the Brien Holden Vision Institute, forecasts that 10 per cent of the world's population will be at risk of blindness by 2050 if steps are not taken to stop myopia turning into high myopia (requiring glasses with a prescription of minus five or stronger).

The QUT study measured children's eye growth via study participants wearing wristwatch light sensors to record light exposure and physical activity for a fortnight during warmer then colder months to give an overall measurement of their typical light exposure.

"Children exposed to the least outdoor [light](#) had faster eye growth and hence faster myopia progression," Professor Read said.

More information: Scott A. Read et al. Light Exposure and Eye Growth in Childhood, *Investigative Ophthalmology & Visual Science* (2015). [DOI: 10.1167/iovs.14-15978](https://doi.org/10.1167/iovs.14-15978)

Provided by Queensland University of Technology

Citation: Outdoor light has role in reducing short-sightedness in kids (2016, April 6) retrieved 10 April 2024 from <https://medicalxpress.com/news/2016-04-outdoor-role-short-sightedness-kids.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--