


Scientists discover how to control heart cells using a laser

April 14 2016



Credit: Image courtesy authors of the study


Scientists from MIPT's Laboratory of the Biophysics of Excitable Systems have discovered how to control the behaviour of heart muscle cells (cardiomyocytes) using laser radiation; this study will help scientists to better understand cardiac mechanisms and could ultimately provide a method of treating arrhythmia. The paper has been published in the journal *PLOS ONE*.

"Right now, this result may be very useful for clinical studies of the mechanisms of the heart, and in the future we could potentially stop

attacks of arrhythmia in patients at the touch of a button," says co-author Konstantin Agladze.

He and his colleagues from the laboratory are researching cardiac engineering. In particular, his team succeeded in growing [heart muscle tissue](#) on a substrate of spider silk. The scientists have now moved from growing muscle tissue to finding ways of controlling it.

Functional disorders in the heart muscles, particularly arrhythmia (an irregular heartbeat), are among the most common cardiac pathologies. One in eight deaths in the world is caused by acute arrhythmia. In order to study this type of heart disorder, it is important to create "[arrhythmia in vitro](#)," which is what a modified version of azobenzene called azobenzene trimethylammonium bromide (azoTAB) is used for.



Credit: Image courtesy authors of the study

Its molecule consists of two benzene rings connected by a bridge of two nitrogen atoms. If the molecule is irradiated with UV light, the benzene rings change position relative to one another—they "fold," and under the influence of visible light, the rings return to their original configuration. An azoTAB molecule can therefore exist in two states, switching between them under the influence of radiation.

Agladze and his colleagues "taught" the azoTAB molecules to control [cardiomyocytes](#) so that one configuration did not prevent voluntary contractions (passive), and the other (active) "deactivated" contractions. Using a device similar to a projector, but with a laser instead of a lamp, the scientists created the required concentration of the active form of azoTAB at each point. This enabled them to control the cardiomyocytes in each specific point of the heart. However, the precise mechanism of action of azoTAB on the cells remained unclear.

The scientists have now been able to explain how the different forms of azoTAB affect cardiomyocytes.

Ion channels are used to transfer "commands" from one cell to another; they act as gates, allowing ions to pass through cell membranes. In cardiomyocytes, there are various types of channels capable of allowing potassium, sodium, or calcium ions to pass through. Agladze proposed that azoTAB affects the permeability of some of these channels. The [scientists](#) conducted an experiment on [heart muscle cells](#) that were placed in a solution of azoTAB in two different concentrations. They were then exposed to light of different wavelengths in the range of near-UV light. When each of the channels was examined, the two others were deactivated using inhibitor substances and the cardiomyocytes were isolated from one another.

It was found that after three minutes of exposure to the active form of azoTAB, the current through the calcium and sodium channels was

reduced by more than two times, and in the potassium channel, it increased one and a half times. And after the azoTAB was removed by washing the cells, the function of the [ion channels](#) quickly returned to a normal state.

The experiment showed that the effect of azoTAB on a cell is reversible. This means that the results of the experiments could be used in research and clinical practice, which could potentially lead to an effective treatment for arrhythmias.

More information: Sheyda R. Frolova et al. Photocontrol of Voltage-Gated Ion Channel Activity by Azobenzene Trimethylammonium Bromide in Neonatal Rat Cardiomyocytes, *PLOS ONE* (2016). [DOI: 10.1371/journal.pone.0152018](https://doi.org/10.1371/journal.pone.0152018)

Provided by Moscow Institute of Physics and Technology

Citation: Scientists discover how to control heart cells using a laser (2016, April 14) retrieved 26 April 2024 from <https://medicalxpress.com/news/2016-04-scientists-heart-cells-laser.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--