

Our brain uses statistics to calculate confidence, make decisions

May 4 2016



An artistic interpretation of confidence in decision making. The decision hinges on confidence. The player has a feeling of self-confidence, but also his odds can be evaluated objectively based on the cards in his hand. The processes for computing both forms of confidence are more similar than previously thought.
Credit: Julia Kuhl

The directions, which came via cell phone, were a little garbled, but as you understood them: "Turn left at the 3rd light and go straight; the restaurant will be on your right side." Ten minutes ago you made the turn. Still no restaurant in sight. How far will you be willing to drive in the same direction?

Research suggests that it depends on your initial level of [confidence](#) after getting the directions. Did you hear them right? Did you turn at the 3rd light? Could you have driven past the restaurant? Is it possible the directions are incorrect?

Human brains are constantly processing data to make statistical assessments that translate into the feeling we call confidence, according to a study published today in *Neuron*. This feeling of confidence is central to decision making, and, despite ample evidence of human fallibility, the subjective feeling relies on objective calculations.

"The feeling ultimately relies on the same statistical computations a computer would make," says Professor Adam Kepecs, a neuroscientist at Cold Spring Harbor Laboratory (CSHL) and lead author of the new study. "People often focus on the situations where confidence is divorced from reality," he says. "But if confidence were always error-prone, what would be its function? If we didn't have the ability to optimally assess confidence, we'd routinely find ourselves driving around

for hours in this scenario."

Calculating confidence for a statistician involves looking at a set of data—perhaps a sampling of marbles pulled from a bag—and making a conclusion about the entire bag based on that sample. "The feeling of confidence and the objective calculation are related intuitively," says Kepecs. "But how much so?"

In experiments with human subjects, Kepecs and colleagues therefore tried to control for different factors that can vary from person to person. The aim was to establish what evidence contributed to each decision. In this way they could compare people's reports of confidence with the optimal statistical answer. "If we can quantify the evidence that informs a person's decision, then we can ask how well a statistical algorithm performs on the same evidence," says Kepecs.

He and graduate student Joshua Sanders created video games to compare human and computer performance. They had human volunteers listen to streams of clicking sounds and determine which clicks were faster. Participants rated confidence in each choice on a scale of one (a random guess) to five (high confidence). What Kepecs and his colleagues found was that human responses were similar to statistical calculations. The brain produces feelings of confidence that inform decisions the same way statistics pulls patterns out of noisy data.

Kepecs's model for human confidence stood up to a follow-on experiment in which participants answered questions comparing the populations of various countries. Unlike the perceptual test, this one had the added complexity of each participant's individual knowledge base.

The development of a model for confidence is a first step toward Kepecs' ultimate goal to find out where this inner statistician sits in the brain and how it does its data processing. It is Kepecs' thesis that

statistics - generated by the objective processing of sensory and other data - is the ultimate language of the brain.

At the same time, Kepecs says it's likely that the statistical computation his research reveals probably provides only an initial estimate for human decision-makers. "Human confidence reports are not equivalent to this computation," he says. "In the experiments we conducted, they mirror this computation, and we suspect that in more complex situations they will be the point of departure for a confidence report."

Kepecs plans to use his model of confidence as a foothold for finding the seat of confidence in the brain and understanding its neural circuitry. "Having a theory about confidence is a required first step to figure out how the brain actually does it, how nerve cells perform this process," he says.

The work may also have wider implications. The fields of statistics and, in particular, machine learning, may have something to learn from this inner statistician. "Humans are still better than computers at solving really difficult problems," says Kepecs.

More information: "Signatures of a statistical computation in the human sense of confidence" appears online May 5, 2016 in *Neuron*. The authors are: Joshua I. Sanders, Balazs Hangya and Adam Kepecs. The paper can be viewed at:

[www.cell.com/neuron/fulltext/S0896-6273\(16\)30016-2](http://www.cell.com/neuron/fulltext/S0896-6273(16)30016-2) , DOI: [10.1016/j.neuron.2016.03.025](https://doi.org/10.1016/j.neuron.2016.03.025)

Provided by Cold Spring Harbor Laboratory

Citation: Our brain uses statistics to calculate confidence, make decisions (2016, May 4)

retrieved 25 April 2024 from

<https://medicalxpress.com/news/2016-05-brain-statistics-confidence-decisions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.