

## Sleep disorders underreported, commonly untreated among cerebral palsy patients

May 18 2016

---



A patient undergoes sleep disorder screening at Gillette Children's Specialty Healthcare. Credit: Gillette Children's Specialty Healthcare

When people think of sleep disorders such as obstructive sleep apnea (OSA), images of middle aged adults likely come to mind. However, a recent study by Gillette Children's Specialty Healthcare sheds light on another population of people who are affected by the disorder: children who have cerebral palsy (CP).

The recently published study found that children who have CP - especially when the condition is severe or combined with epilepsy - are

more likely to suffer from [obstructive sleep apnea](#). It also found that children with CP are more likely to be accurately diagnosed with a sleep disorder if routinely screened with a questionnaire.

Sleep disorders are underdiagnosed among CP patients, said John Garcia, M.D., a sleep medicine specialist at Gillette and the study's lead author. That's a problem, he says, because children who aren't properly treated for a sleep disorder are much more likely to suffer from seizures, contract respiratory illnesses and see fewer gains in treatments.

"This is a vulnerable population to begin with, so the stakes are higher," Garcia says. "Obstructive sleep disorders make life really tough for anybody, but even more so for kids who have CP."

Once a sleep disorder is identified, physicians can take steps to correct it including upper airway surgery or the use of a continuous positive airway pressure (CPAP) device. The good news is that after treatment, patients see measureable improvements including fewer seizures, better health and increased mobility. Some research suggests that [children](#) who have CP who are effectively treated for sleep apnea can see nearly 20 percent improvement in overall health.

In this study, Garcia and a team of experts at Gillette implemented a questionnaire for patients. Researchers found that if more than a third of the 20 questions on the questionnaire were answered positively, there was an increased risk of obstructive [sleep apnea](#). The use of this simple, rapidly administered and publicly available questionnaire significantly helped researchers identify the risk of [sleep disorders](#). Garcia and his colleagues propose that sleep disorder screening be used among all CP patients.

"Anyone who has CP should be screened for a sleep disorder - it should be standard practice," Garcia says. "We can improve quality of life for

our patients."

The research was recently published online in the journal of *Developmental Medicine and Child Neurology* and will be published in print later this year. The study was published with the help of Gillette Research Scientist Sam Roiko, Ph.D. and was funded by the Gillette Foundation.

Provided by Gillette Children's Specialty Healthcare

Citation: Sleep disorders underreported, commonly untreated among cerebral palsy patients (2016, May 18) retrieved 19 April 2024 from <https://medicalxpress.com/news/2016-05-disorders-underreported-commonly-untreated-cerebral.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.