

Fall risk up with initiation, intensification of HTN meds

May 13 2016



(HealthDay)—For older adults, initiation and intensification of



antihypertensive medication is associated with a short-term increased risk of serious fall injuries, according to a study published online May 10 in *Circulation: Cardiovascular Quality and Outcomes*.

Daichi Shimbo, M.D., from the Columbia University Medical Center in New York City, and colleagues examined the correlation between initiating and intensifying antihypertensive medication and serious fall injuries in a case-crossover study of 90,127 Medicare beneficiaries aged 65 years or older. The authors examined medication exposures for the 15-day period before the fall (case period) and six earlier control periods, each of 15 days.

The researchers found that 272 Medicare beneficiaries initiated antihypertensive medication, 1,508 added a new class of antihypertensive medication, and 3,113 titrated therapy (addition of a new class or increase in dosage of current class) within 15 days of their serious fall. There were increases in the odds of a serious fall injury in the 15 days after antihypertensive medication initiation, addition of a new class, and titration (odds ratios, 1.36, 1.16, and 1.13, respectively). Beyond 15 days the correlations were attenuated.

"Antihypertensive <u>medication</u> initiation and intensification was associated with a short-term, but not long-term, increased risk of serious fall injuries among <u>older adults</u>," the authors write.

Two authors disclosed financial ties to Amgen.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2016 HealthDay. All rights reserved.



Citation: Fall risk up with initiation, intensification of HTN meds (2016, May 13) retrieved 9 April 2024 from https://medicalxpress.com/news/2016-05-fall-intensification-htn-meds.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.