

One hormone shot put diabetic mice into long-term remission, study says

May 24 2016, by Melissa Healy, Los Angeles Times



Credit: CC0 Public Domain

In research that may point the way to new treatments for Type 2 diabetes, obese and diabetic mice who got a single shot of a growth-promoting peptide directly into their brains experienced lasting

remission from the disease without any sustained changes to their diet or their weight.

A week after researchers injected a low dose of synthesized mouse Fibroblast Growth Factor 1 - FGF1 - directly into the ventricles of diabetic mouse brains, the [mice](#)'s erratic blood glucose levels stabilized at normal levels. Then they stayed normal for 17 weeks - effectively curing the mice of their [diabetes](#).

It was a level of remission until now seen only after [bariatric surgery](#), the authors reported Monday in the journal *Nature Medicine*. The study was led by endocrinologist Michael W. Schwartz, gastroenterologist Jarrad M. Scarlett and molecular physiologist Jennifer M. Rojas. Schwartz directs the University of Washington's Diabetes and Obesity Center of Excellence and Scarlett and Rojas conduct research there.

The success of a direct-to-the-brain treatment for diabetes in mice is unlikely to prompt such radical treatments for humans - not soon, at least. But it does highlight a little-appreciated fact about Type 2 diabetes: that it is, to some extent at least, a brain disease, and that treatments that go to the source of the metabolic dysfunction may lead to "cures" that have not been achieved by treating its downstream effects in the pancreas, blood, liver, muscles and fat.

The introduction of FGF1 into the brain's fluid-filled caverns appeared to unleash a sequence of changes in the mice. Production of a powerful neuroprotective protein surged in the brain. That, in turn, fostered the robust growth of brain connections in the hypothalamus - the source of many hormones that play a role on appetite and metabolism. Outside the brain, the skeletal muscles and livers of the [diabetic mice](#) quickly improved their uptake of post-meal glucose. As glucose clearance improved, the high blood-sugar levels that are a hallmark of Type 2 diabetes quickly normalized.

Researchers saw no evidence that the treated mice were plagued by hypoglycemia - a problem of over-correction that many on Type 2 diabetes treatments experience. Nor, they concluded, were the metabolic improvements the result of [weight loss](#): while treated mice briefly dialed back their intake and lost some weight, their appetites and their weight quickly returned.

But their Type 2 diabetes was gone.

To ensure that the effect they were seeing was real, the authors of the new research repeated the experiment on rats, as well as on mice that were bred to develop Type 2 diabetes by a different means than did the first set of mice. In both cases, a single infusion of FGF1 had the same anti-diabetic effect.

"Except for certain bariatric surgical procedures, we are unaware of any intervention capable of inducing sustained remission of Type 2 diabetes in humans or rodents," the authors wrote. The administration of FGF1 directly into the brain, the authors wrote, "unmasks the brain's inherent capacity to induce sustained diabetes remission." And all, they added, "without the need for surgical revision of the gastrointestinal tract."

While pumping growth factor directly into human brains may seem unwieldy, diabetes treatment that focuses on the brain is not out of reach, the authors wrote. Working with mice and rats, scientists have demonstrated that the intranasal delivery of FGF1 to the brain is feasible.

Close to 30 million Americans - more than 9 percent of the U.S. adult population - have Type 2 diabetes, and new diagnoses are surging as obesity soars and the U.S. population ages.

A wide range of medications are available or under development, but

remission most often requires substantial weight loss. In recent years, bariatric surgery has been recognized as highly effective in allowing diabetic patients to reduce or discontinue medication, but its high cost has limited access to such treatment.

More information: Central injection of fibroblast growth factor 1 induces sustained remission of diabetic hyperglycemia in rodents, *Nature Medicine* (2016) [nature.com/articles/doi:10.1038/nm.4101](https://doi.org/10.1038/nm.4101)

©2016 Los Angeles Times
Distributed by Tribune Content Agency, LLC.

Citation: One hormone shot put diabetic mice into long-term remission, study says (2016, May 24) retrieved 27 April 2024 from <https://medicalxpress.com/news/2016-05-hormone-shot-diabetic-mice-long-term.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.