

# Pitchers risk greater injury if MLB cuts time between pitches, researchers warn

May 16 2016

---



Michael Sonne, is an expert in ergonomics and post-doctoral research fellow in the Department of Kinesiology at McMaster University. Credit: McMaster University

Proposed rule changes by Major League Baseball, designed to speed up the game by reducing time between pitches, could lead to a spike in arm injuries as players have less time to recover between throws, say researchers who have analyzed the impact of fatigue.

Scientists looked specifically at the effect of using a 'pitch clock', a controversial concept currently being tested in the minor leagues.

Similar to a shot clock in basketball, a timer counts down between pitches, allowing pitchers just 20 seconds to throw. If the pitcher is too slow, the umpire calls a ball.

"The pitch clock clearly influences the amount of rest between throws," explains Michael Sonne, an expert in ergonomics and post-doctoral research fellow in the Department of Kinesiology at McMaster University.

While the average time between pitches is currently 22.6 seconds, even a small change could have a major impact, he says.

Using a computer model to predict [muscle fatigue](#), researchers simulated baseball games for 72 American League starting pitchers from the 2014 season. They simulated pitching performance using both the players' typical rest time between pitches and the enforced 20-second limit.

The simulation showed that using the pitch clock caused greater arm fatigue -seven per cent more.

Increasing muscle fatigue, which is already known to be one of the primary causes of injury to pitchers, can reduce the natural stiffness of the elbow joint, leading to greater strain on the ulnar collateral ligament, or UCL, the ligament which is torn and repaired during the so-called 'Tommy John Surgery.'

Faced with lower television ratings and weary fans, the MLB has struggled with the length of the average game, which has stretched from 2.85 hours in 2004 to 3.13 hours in 2014.

Still, researchers question the wisdom of rushing the game at the cost of a player's career.

"In a league where hundreds of millions of dollars are lost in a year to injury, every effort should be made to control known risk factors related to injury. That includes allowing for appropriate rest time between pitches," says Sonne.

The research is published online in *The Journal of Sports Sciences*.

Provided by McMaster University

Citation: Pitchers risk greater injury if MLB cuts time between pitches, researchers warn (2016, May 16) retrieved 10 May 2024 from <https://medicalxpress.com/news/2016-05-pitchers-greater-injury-mlb-pitches.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--