

# Exercise can help adults better cope with ADHD symptoms

June 16 2016, by Patrick J. O'connor

---



Patrick O'Connor (left) found that exercise, even a small amount, can help alleviate symptoms of ADHD in adults. Credit: University of Georgia

Exercise, even a small amount, can help alleviate symptoms of ADHD in adults, according to a new study by University of Georgia researchers.

The study, released this month in the journal *Medicine and Science in Sports and Exercise*, found a single bout of exercise has psychological benefits for adults with these elevated ADHD symptoms. About 6 percent of American adults report symptoms consistent with attention deficit hyperactivity disorder, or ADHD, which lead to anxiety, depression, low energy and motivation, poor performance at work or school and also increased traffic accidents.

"Exercise is already known as a stress reducer and mood booster, so it really has the potential to help those suffering with ADHD symptoms," said the study's senior author Patrick O'Connor, professor in the UGA College of Education's kinesiology department. "And while prescription drugs can be used to treat these symptoms, there's an increased risk of abuse or dependence and negative side effects. Those risks don't exist with exercise."

The study tested 32 [young men](#) with elevated ADHD symptoms who cycled at a moderate intensity for 20 minutes on one day, and on another day sat and rested for 20 minutes as a control condition. The participants were asked to perform a task requiring focus both before and after the different conditions, and researchers noted leg movement, mood, attention and self-reported motivation to perform the task.

As a result, researchers found that it was only after the exercise when the participants felt motivated to do the task; they also felt less confused and fatigued and instead felt more energetic. Interestingly, leg movements and performance on the task did not change after the exercise—rather, the exercise helped the young men feel better about doing the task.

These findings are consistent with prior research that shows a single bout of exercise helps people feel more energetic, said O'Connor, who is also co-director of the UGA Exercise Psychology Laboratory. The results suggest that young men who have symptoms of ADHD can benefit

psychologically from the short workouts, similar to the benefits enjoyed by typical adults who work out.

"The reduced feelings of confusion and increased motivation to perform a cognitive task suggest that other types of acute exercise also may benefit cognitive performance," added study co-author Kathryn Fritz, a UGA doctoral student who completed the study as part of her master's thesis. "We speculate that a different mode or duration or intensity of [exercise](#), other than a boring cycle ride in a sterile lab, may show larger cognitive effects for those suffering from ADHD [symptoms](#)."

The study, "Acute Exercise Improves Mood and Motivation in Young Men with ADHD Symptoms," is available online at [www.ncbi.nlm.nih.gov/pubmed/26741120](http://www.ncbi.nlm.nih.gov/pubmed/26741120).

Provided by University of Georgia

Citation: Exercise can help adults better cope with ADHD symptoms (2016, June 16) retrieved 2 May 2024 from <https://medicalxpress.com/news/2016-06-adults-cope-adhd-symptoms.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--