

Alcohol dependent individuals show greater risk of suicide in evening hours

June 14 2016

A new study found that there is a circadian pattern of peak and nadir in the incidence of suicides committed in alcohol dependent individuals.

Subjects who consumed heavy amounts of <u>alcohol</u> had a peak incidence of suicide at 9PM, and a low around 5PM. In contrast, the peak incidence was around 12 PM for those individuals who did not drink or drank moderately and a low at 4 AM.

"The presence of temporal pattern in the incidence of suicides will help us understand the phenomenon from a clinical and a research viewpoint," said Dr. Subhajit Chakravorty, assistant professor of psychiatry, Perelman School of Medicine, University of Pennsylvania. "From a clinical perspective, the results will help us identify patients at higher risk of completing suicide and to allocate our limited resources more efficiently. From a research perspective, future studies should explore the underlying mechanisms of how and why different alcohol doses interact with the time of day and other clinical factors to increase the risk of suicide."

The research abstract was published recently in an online supplement of the journal *Sleep* and will be presented Wednesday, June 14, in Denver at SLEEP 2016, the 30th Anniversary Meeting of the Associated Professional Sleep Societies LLC (APSS).

Archival data of suicides from the 2003-2010 National Violent Death Reporting System of the Center for Disease Control were evaluated in



individuals with <u>alcohol dependence</u> for whom <u>blood alcohol levels</u> were available. The time of injury was categorized into 1 hour segments and then hourly distribution was used to compute the incidence of <u>suicides</u> over the circadian period.

Provided by American Academy of Sleep Medicine

Citation: Alcohol dependent individuals show greater risk of suicide in evening hours (2016, June 14) retrieved 18 April 2024 from https://medicalxpress.com/news/2016-06-alcohol-individuals-greater-suicide-evening.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.