


Nerve-insulating cells more diverse than previously thought

June 9 2016



Sueli Marques, Sten Linnarsson and Gonalo Castelo-Branco are pictured.
Credit: Ulf Sirborn

Oligodendrocytes, a type of brain cell that plays a crucial role in diseases such as multiple sclerosis, are more diverse than have previously been thought, according to a new study by researchers at Karolinska Institutet in Sweden. The findings, published in the journal *Science*, will help increase our understanding of diseases in which these cells are affected

and possibly provide clues to future treatment strategies.

In [multiple sclerosis](#) and similar neurological diseases, the electrical signals in the brain propagate more slowly. The reduced speed of information flow contributes to symptoms such as numbness, balance and walking difficulties and blurred vision. Multiple sclerosis is characterised by the loss of myelin, a protective sheath that insulates [nerve cells](#) and allows rapid transmission of [electrical signals](#) in the brain. Myelin is produced by a specialized cell type, the oligodendrocyte. While oligodendrocytes have thus far been thought to be a homogenous population, a different view emerges from the current study.

The researchers, led by Dr. Gonalo Castelo-Branco and Dr. Sten Linnarsson, used the recently developed technique of single cell RNA-sequencing. This method allows investigators to get a snapshot of gene activity in [individual cells](#). In this way, they could reveal differences between cells that may not be visible using classical methods. The researchers analysed more than five thousand oligodendrocytes from several regions of the brain and spinal cord in adolescent and adult mice, which allowed them to see the diversity of these cells with unprecedented detail and clarity.

"We uncovered an unexpected diversity within the oligodendrocyte population", says Sten Linnarsson from the Department of Medical Biochemistry and Biophysics. "In this study, we have identified 12 subclasses of oligodendrocytes and a novel cell distinct from oligodendrocytes residing in the blood vessels"

They found that the initial stages of maturation in oligodendrocyte development were similar across the central nerve system in juvenile mice, whereas different subsets of mature oligodendrocytes were enriched in specific regions in adult brains.

"The uncovering of this unexpected oligodendrocyte diversity might bring new insights on mechanisms of degeneration and regeneration of diseases where myelin is lost, such as multiple sclerosis", says Gonçalo Castelo-Branco at the same department.

More information: 'Oligodendrocyte heterogeneity in the mouse juvenile and adult central nervous system', Sueli Marques, Amit Zeisel, Simone Codeluppi, David van Bruggen, Ana Mendanha, Falcão, Lin Xiao, Huiliang Li, Martin Häring, Hannah Hochgerner, Roman A. Romanov, Daniel Gyllborg, Ana Muñoz Manchado, Gioele La Manno, Peter Lönnerberg, Elisa M. Floriddia, Fatemah Rezayee, Patrik Ernfors, Ernest Arenas, Jens Hjerling-Leffler, Tibor Harkany, William D. Richardson, Sten Linnarsson, Gonçalo Castelo-Branco, *Science*, published online 10th of June 2016, [DOI: 10.1126/science.aaf6463](https://doi.org/10.1126/science.aaf6463).

Provided by Karolinska Institutet

Citation: Nerve-insulating cells more diverse than previously thought (2016, June 9) retrieved 2 May 2024 from <https://medicalxpress.com/news/2016-06-nerve-insulating-cells-diverse-previously-thought.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--