

Stress exposure during pregnancy observed in mothers of children with autism

June 7 2016



David Beversdorf, M.D., associate professor in the departments of radiology, neurology and psychological sciences at the University of Missouri, has observed the relationship between a variant of a stress-sensitive gene and exposure to stress during pregnancy in mothers of children with autism. Credit: Justin Kelley/MU Health



Stress during pregnancy has been linked to several conditions, including some instances of autism spectrum disorder. Now, researchers at the University of Missouri School of Medicine have observed a variant of a stress-sensitive gene and exposure to stress during pregnancy among two groups of mothers of children with autism. The researchers believe the finding could be a step toward helping identify women who have greater risks for having children with autism when exposed to stressors during a specific time window during pregnancy.

"Autism was thought to be largely a genetic disorder, but previous research has shown that environmental influences such as stress can play an important role in the development of the condition," said David Beversdorf, M.D., associate professor in the departments of radiology, neurology and psychological sciences at the University of Missouri and the MU Thompson Center for Autism and Neurodevelopmental Disorders, and senior author of the study. "We know that some mothers who experience significant levels of stress don't have children with autism, but others do. To help understand why, we studied a gene that is known to affect stress and found a link between it and the development of autism with exposure to stress."

Led by Beversdorf's graduate student, Patrick Hecht, Ph.D., in collaboration with Xudong Liu, Ph.D., with Queen's University in Ontario, Canada, the researchers studied two separate groups of mothers of children with <u>autism spectrum disorder</u>—a group of families at MU and a group of families at Queen's University. The mothers were surveyed about stress during their pregnancy, such as loss of a job, moving or divorce. The mothers' blood was tested for a variation of the stress-sensitive gene known as 5-HTTLPR, which regulates the <u>neurotransmitter serotonin</u> in the nervous system. When a variation of the gene is present, the availability of serotonin is altered, causing an increased reaction to stress.



In both groups, mothers of children with autism who have the variation of the stress-sensitive gene reported experiencing more stress during the end of the second and the beginning of the third trimester of pregnancy, compared to <u>mothers</u> who did not carry the altered gene.

"Though this was an observational study and future confirmation of this finding is needed, it's possible we could, one day, identify women who may be at a greater risk of having a child with autism when exposed to stress," said Beversdorf, who also serves as the William and Nancy Thompson Endowed Chair in Radiology. "More research is needed to understand the mechanisms of how this gene-<u>stress</u> interaction works, but hopefully this could someday help prevent some cases of <u>autism</u>."

The study, "Maternal Serotonin Transporter Genotype Affects Risk for ASD with Exposure to Prenatal Stress," recently was published by *Autism Research*, the journal of the International Society for Autism Research. Research reported in this publication was supported by Mizzou Advantage, the MU College of Medicine Mission Enhancement Fund and the Ongwanada Fund. The researchers have no conflicts of interest to declare related to this study.

Provided by University of Missouri-Columbia

Citation: Stress exposure during pregnancy observed in mothers of children with autism (2016, June 7) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2016-06-stress-exposure-pregnancy-mothers-children.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.