


Study shows Zika virus directly infects brain cells and evades immune system detection

June 3 2016



Transmission electron microscope image of negative-stained, Fortaleza-strain Zika virus (red), isolated from a microcephaly case in Brazil. The virus is associated with cellular membranes in the center. Credit: NIAID

The mosquito-borne Zika virus linked to microcephaly and other neurological problems in newborns of affected mothers directly infects the brain progenitor cells destined to become neurons, UT Southwestern Medical Center researchers report in a study published online today in *Cell Reports*.

The team of researchers used a strain of Zika currently impacting the Americas, and found that the [virus](#) infects about 20 percent of cells on average, evades immune system detection, and continues to replicate for weeks.

"The cellular system we studied mirrors what pathologists are finding in the brain tissue of affected infants and will be valuable for further understanding how Zika causes severe brain-related problems. The system may also serve as a platform for testing new therapies targeting the virus," said Dr. John Schoggins, Assistant Professor of Microbiology at UT Southwestern and senior author of the study.

Zika can be spread by infected mosquitos or through sexual intercourse. In adults, the symptoms are generally mild and include fever, rash, joint pain, and red eyes. However, Zika virus can cause a serious birth defect called microcephaly, and other severe neurological effects such as eye problems, hearing loss, and impaired growth in infants born to women who contracted the virus when pregnant, according to the Centers for Disease Control and Prevention (CDC).

The CDC's website lists a series of unanswered questions about the virus that the World Health Organization (WHO) has declared a [public health emergency](#) of international concern. The unanswered questions include when during pregnancy the infection may harm the fetus and how the virus affects individual pregnancies.

"There was a suggestion that the detrimental effects of the virus might

be linked to its ability to infect brain cells, specifically the [progenitor cells](#) that give rise to neurons," said Dr. Schoggins, a Nancy Cain and Jeffrey A. Marcus Scholar in Medical Research, in Honor of Dr. Bill S. Vowell.

"We showed that neural progenitors can be infected by a strain of Zika virus that is currently infecting people in the Americas," Dr. Schoggins said. "We found that the virus kills some [neural progenitor cells](#), but not all. Other cells survive the infection, and surprisingly, continue to replicate the virus for many weeks. In addition, it appears that Zika virus does not stimulate much of an immune response."

Provided by UT Southwestern Medical Center

Citation: Study shows Zika virus directly infects brain cells and evades immune system detection (2016, June 3) retrieved 25 April 2024 from <https://medicalxpress.com/news/2016-06-zika-virus-infects-brain-cells.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.