


Why baby boomers need a hepatitis C screening

July 26 2016



Electron micrographs of hepatitis C virus purified from cell culture. Scale bar is 50 nanometers. Credit: Center for the Study of Hepatitis C, The Rockefeller University.

Baby boomers, adults born between 1945 and 1965, are five times more likely to have been exposed to the hepatitis C virus (HCV).

As a result, the Centers for Disease Control and Prevention and the U.S.



Preventive Service Task Force recommend that all patients in that age group get tested.

But the simple blood test, designed to detect and prevent illness before the virus wreaks havoc, is infrequently performed on baby boomers whose routine medical appointments are often crammed with other preventive measures and tests—as well as time spent addressing active problems that require a doctor's immediate attention.

Investigators at the University of Michigan Health System recently found an easy way to help <u>primary care</u> physicians ensure that an HCV <u>screening</u> is part of the routine: Electronic medical record alerts.

The automated alert, programmed to appear if a patient was within the atrisk age group, reminds doctors not only to issue the test but also provide educational materials about the virus.

Implemented in fall 2015 in primary care clinics throughout the U-M health system, the strategy contributed to a significant rise in screenings—an eightfold boost—in the first six months alone.

"A large part of the success was figuring out how to take the logistical work away, which involves more than looking at a patient's date of birth," says Monica Konerman, M.D., M.Sc., a hepatologist at the University of Michigan who treats patients facing the prospect of hepatitis damaging their liver.

A population in need

It isn't entire clear why hepatitis C rates are higher in baby boomers—although many, according to the CDC, are believed to have become infected during the 1970s and 80s when rates were highest (and before screenings of donated blood and organs became available in



1992).

Hepatitis C, likewise, can be asymptomatic for decades. Many patients could have been exposed to risk factors years ago but never sought testing or treatment.

A universal one-time HCV screening based on age, then, can bypass the discomfort of having to talk about potentially embarrassing topics such as prior drug use or sharing needles.

It also helps democratize preventive care. Prior to launching the alert, HCV screening was higher in men, Asian and African Americans, and in patients with Medicaid insurance. Screening rates also varied greatly by clinic site (ranging from 20 to 32 percent).

After the alert was adopted, however, screenings increased equally among genders, races, insurance plans and UMHS clinic sites.

Why screening matters

The screening test for hepatitis C is the virus antibody. If the hepatitis C antibody is detected, a confirmation test for the virus' RNA (genetic material) is recommended to confirm chronic infection.

Of the 16,773 <u>baby boomers</u> targeted for screening via electronic alert at UMHS, fewer than 1 percent tested positive for the hepatitis C antibody.

Despite that low rate, the alert system nonetheless helped identify people who would benefit from curative hepatitis C treatment, says Konerman, who presented the findings in May at the Digestive Disease Week conference in San Diego.

After all, a new era in hepatitis treatment began in 2013 with the



approval of interferon-free oral combination therapy that was demonstrated in clinical trials studies led by the U-M to cure <u>hepatitis</u> C in 95 percent of patients. If treated and the body responds, patients can get rid of the virus before liver damage and liver failure occur.

Which is why the new alert technology is crucial for a population that could benefit most from HCV screening.

"The availability of direct-acting antiviral agents has been a gamechanger," says Konerman. "Previously, many providers thought screening had low utility: (that) the treatment was terrible and didn't work well. Today, short courses of all oral treatments are highly effective and can prevent progressive liver disease."

Provided by University of Michigan Health System

Citation: Why baby boomers need a hepatitis C screening (2016, July 26) retrieved 2 May 2024 from <u>https://medicalxpress.com/news/2016-07-baby-boomers-hepatitis-screening.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.