

Breastfeeding associated w/ better brain development & neurocognitive outcomes

July 29 2016

A new study, which followed 180 pre-term infants from birth to age seven, found that babies who were fed more breast milk within the first 28 days of life had had larger volumes of certain regions of the brain at term equivalent and had better IQs, academic achievement, working memory, and motor function.

The findings were published online Friday, July 29, in *The Journal of Pediatrics*.

"Our data support current recommendations for using mother's milk to feed preterm babies during their [neonatal intensive care](#) unit (NICU) hospitalization. This is not only important for moms, but also for hospitals, employers, and friends and family members, so that they can provide the support that's needed during this time when mothers are under stress and working so hard to produce milk for their babies," says Mandy Brown Belfort, MD, a researcher and physician in the Department of Newborn Medicine at Brigham and Women's Hospital and lead author.

Researchers studied infants born before 30 weeks gestation that were enrolled in the Victorian Infant Brain Studies cohort from 2001-2003. They determined the number of days that infants received [breast milk](#) as more than 50 percent of of their nutritional intake from birth to 28 days of life. Additionally, researchers examined data related to regional [brain](#) volumes measured by [magnetic resonance imaging](#) (MRI) at each baby's term equivalent age and at seven years old, and also looked at cognitive

(IQ, reading, mathematics, attention, working memory, language, visual perception) and motor testing at age seven.

The findings show that, across all babies, infants who received predominantly breast milk on more days during their NICU hospitalization had larger deep nuclear gray matter volume, an area important for processing and transmitting neural signals to other parts of the brain, at term equivalent age, and by age seven, performed better in IQ, mathematics, working memory, and motor function tests. Overall, ingesting more human milk correlated with better outcomes, including larger regional brain volumes at term equivalent and improved cognitive outcomes at age 7.

"Many mothers of [preterm babies](#) have difficulty providing breast milk for their babies, and we need to work hard to ensure that these mothers have the best possible support systems in place to maximize their ability to meet their own feeding goals. It's also important to note that there are so many factors that influence a baby's development, with breast milk being just one," says Belfort.

Researchers note some limitations on the study, including that it was observational. Although they adjusted for factors such as differences in maternal education, some of the effects could possibly be explained by other factors that were not measured, such as greater maternal involvement in other aspects of infant care.

Belfort adds that future studies using other MRI techniques could provide more information about the specific ways in which human milk intake may influence the structure and function of the brain. Future work is also needed to untangle the role of breastfeeding from other types of maternal care and nurturing on development of the preterm baby's brain.

Provided by Brigham and Women's Hospital

Citation: Breastfeeding associated w/ better brain development & neurocognitive outcomes (2016, July 29) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2016-07-breastfeeding-brain-neurocognitive-outcomes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.