

# Harsh parenting, food insecurity predicts obesity for young women

July 7 2016

---



Iowa State researchers (l-r) Tricia Neppl, Brenda Lohman, and Meghan Gillette — pictured at The SHOP, a student-run, on-campus food pantry — have published a new study relating harsh parenting and food insecurity to obesity. Photo by Kent Davis.

The adolescent years can be full of changes, whether physical, emotional, or familial. A new study by Iowa State University researchers suggests that when these years include prolonged periods of food

insecurity coupled with harsh parenting practices, females are prone to obesity in early adulthood.

"When females who are normal weight in their [early adolescence](#) experience food insecurity, something is happening in their bodies," said Brenda Lohman, a professor in [human development](#) and family studies and the study's lead author. "This sets them on a path toward increased weight gain, so by the time they are 23, they are more likely to be overweight or obese."

As the newly released study published in the July 2016 edition of the *Journal of Adolescent Health* indicates, this food deprivation, when combined with other stressors such as [harsh parenting](#), impacts a teen's development. In the study, harsh parenting was defined as hostile or aversive physical contact; punishment in response to misbehavior; or angry, critical, or disapproving behavior.

"Hardships impact how a youth's parent feels, which then impacts family processes and family dynamics," said Family Transitions Project co-director Tricia Neppl, an assistant professor in human development and family studies and Lohman's co-author along with Meghan Gillette, a lecturer in human development and family studies. "Ultimately, it impacts the adolescent."

## Gender differences

While the impact of hardships on a child is undisputed, the reason why differences appear between males and females remains a mystery.

"We can't explain why the males are heavier to start in this study," Lohman said. "But more importantly, we can't explain why females are more likely to be overweight and obese when they experience food insecurity, when males aren't."

Metabolic literature suggests that when a person is deprived of nutrients or proper food on top of experiencing stressors like harsh parenting, cortisol—which the body releases during stressful situations—may increase, and changes in the endocrine system, essential to hormone function, can lead to greater weight gain. Further work with biological researchers is needed to determine why different pathways are being set for males and females.

"In particular, for the females, there's something between the stressful reaction of harsh parenting and not having the nutritional food," Lohman said. "We can only hypothesize right now that there's something going on metabolically in their bodies, that the stress hormones are increasing—which is then changing their metabolic rate, their behaviors, or both over time."

## **Expanding childhood wellness**

As research continues within the field, Lohman stresses the need to expand current views of childhood wellness to incorporate the adolescent years. As part of this effort, she serves as the chair of the Family Policy Section of the National Council on Family Relations.

"Right now, within the policy field, a lot of the focus is on wellness and education during early childhood and the infant years," she said. "The policies that are in place don't focus on the developmental years surrounding puberty, like in early adolescence. So we really need, from a policy perspective, to develop that long-term."

Lohman said she believes much of that development can come from a number of initiatives: providing educational classes in 21st century skills, partnering with doctors and pediatricians to share information with families regarding the impacts of harsh parenting and food insecurity, and launching public relations campaigns such as posting literature at

food banks about harsh parenting's psychological effects.

In addition, Lohman said that progress can be achieved by working with schools to provide healthy food for teens both in and outside of the school year, and growing teen's access and availability to food stamp programming and food banks.

For example, at Iowa State, students run The Shop (Students Helping Our Peers), an on-campus food pantry housed in the Food Sciences Building. Similar programs could be developed in middle schools and high schools throughout the U.S.

## **Widening the view**

While previous research within the field has explored the relationship between harsh parenting and food insecurity, the Iowa State study is more expansive, using prospective longitudinal data rather than merely a cross-sectional view.

Data for this research came from the Iowa Youth and Families Project, a longitudinal study of 451 adolescent youth and their family members beginning in 1989 in the rural Midwest. Adolescents were 13 years old at initial assessment and were studied in four waves, through age 16. Both mothers and fathers self-reported their food insecurity, while family interactions were observed through in-home experiences recorded on videotape.

While the family stress model used in the study was derived from a sample of rural, predominantly white families, Neppl explained that the model has been replicated with urban families, with Latinos and other ethnicities, and in other countries. The basic tenants of the model have been replicated worldwide.

"What makes our study unique is that we have multiple reporters," Neppel said. "Parent-child interactions were observed over videotape, and parents reported on their own behavior, their teen's behavior, and their household situations. Then we have youth who reported on their parents' behavior and their own behavior."

These observed interactions, as well as the additional reports, set the Iowa State study apart from many others. And, no studies to date have been able to assess [food insecurity](#) and harsh parenting over several years or then link them to obesity 10 years later.

**More information:** Brenda J. Lohman et al. Harsh Parenting and Food Insecurity in Adolescence: The Association With Emerging Adult Obesity, *Journal of Adolescent Health* (2016). DOI: [10.1016/j.jadohealth.2016.03.024](https://doi.org/10.1016/j.jadohealth.2016.03.024)

Provided by Iowa State University

Citation: Harsh parenting, food insecurity predicts obesity for young women (2016, July 7) retrieved 2 May 2024 from <https://medicalxpress.com/news/2016-07-harsh-parenting-food-insecurity-obesity.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--