

# Researchers using MRI to quantify human intelligence

July 18 2016

---



Credit: Wikimedia Commons

Human intelligence is being defined and measured for the first time ever by researchers at the University of Warwick.

Led by Professor Jianfeng Feng in the Department of Computer

Science, studies at Warwick and in China have been recently undertaken to quantify the [brain](#)'s dynamic functions, and identify how different parts of the brain interact with each other at different times – namely, to discover how intellect works.

Professor Jianfeng finds that the more variable a brain is, and the more its different parts frequently connect with each other, the higher a person's IQ and creativity are.

More accurate understanding of human [intelligence](#) could lead to future developments in artificial intelligence (AI). Currently, AI systems do not process the variability and adaptability that is vital, as evidenced by Professor Jianfeng's research, to the human brain for growth and learning. This discovery of dynamic functions inside the brain could be applied to the construction of advanced [artificial neural networks](#) for computers, with the ability to learn, grow and adapt.

This study may also have implications for a deeper understanding of another largely misunderstood field: mental health. Altered patterns of variability were observed in the brain's default network with schizophrenia, autism and Attention Deficit Hyperactivity Disorder (ADHD) patients. Knowing the root cause of [mental health](#) defects brings scientists exponentially closer to treating and preventing them in the future.

Using resting-state MRI analysis on thousands of people's brains around the world, the research has found that the areas of the brain which are associated with learning and development show high levels of variability, meaning that they change their neural connections with other parts of the brain more frequently, over a matter of minutes or seconds. On the other hand, regions of the brain which aren't associated with intelligence - the visual, auditory, and sensory-motor areas - show small variability and adaptability.

Professor Jianfeng Feng commented that new technology has made it possible to conduct this trail-blazing study: "[human intelligence](#) is a widely and hotly debated topic and only recently have advanced brain imaging techniques, such as those used in our current study, given us the opportunity to gain sufficient insights to resolve this and inform developments in artificial intelligence, as well as help establish the basis for understanding and diagnosis of debilitating human mental disorders such as schizophrenia and depression."

The paper is called 'Neural, electrophysiological and anatomical basis of brain-network variability and its characteristic changes in mental disorders', and is being published in the journal *Brain*.

**More information:** Jie Zhang et al. Neural, electrophysiological and anatomical basis of brain-network variability and its characteristic changes in mental disorders, *Brain* (2016). [DOI: 10.1093/brain/aww143](https://doi.org/10.1093/brain/aww143)

Provided by University of Warwick

Citation: Researchers using MRI to quantify human intelligence (2016, July 18) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-07-mri-quantify-human-intelligence.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------