


Just add water? New MRI technique shows what drinking water does to your appetite, stomach and brain

July 12 2016



Activation in the insula is increased when the stomach is distended more. Credit: G Camps, R Veit, M Mars, C De Graaf, P Smeets


Stomach MRI images combined with functional fMRI of the brain activity have provided scientists new insight into how the brain listens to the stomach during eating. Research from Wageningen University in the Netherlands shows - for the first time - real time data of the brain, the stomach, and people's feelings of satiety measured simultaneously during a meal, in a study to be reported this week at the annual meeting of the Society for the Study of Ingestive Behavior, held in Porto, Portugal. The researchers collected data from 19 participants during two separate sessions with different consumption procedures and found that a simple change like drinking more water can alter messages from the stomach

interpreted as fullness by the brain. This new research approach can be used to investigate the interplay between satiety feelings, volume of the stomach and activity in the brain.

In the experiment, participants drank a milk-shake on an empty [stomach](#), which was followed by a small (50 mL) or large glass of [water](#) (350 mL). MRI images were used to see how the different amounts of water affected stretching of the stomach: the large glass of water doubled the stomach content compared to the small glass. Together with this larger volume subjects reported to have less hunger and felt fuller.

This novel approach - combining information obtained simultaneously from MRI images of the stomach, feelings reported by the subjects, and [brain](#) scans - can offer new insights which would otherwise have been unknown, for example that activation in a brain area called the mid-temporal gyrus seems is in some way influenced by the increased water load in this experiment. The Wageningen University scientists developed the combined MRI method as part of the European Nudge-it research project, which seeks to discover simple changes that promote healthier eating. They will use it to search for a brain signature that leads people to decide to stop eating, to determine how strategies like water with a meal can be effective at feeling fuller sooner.

"Combining these types of measurements is difficult, because MRI scanners are usually set-up to perform only one type of scan. We've been able to very quickly switch the scanner from one functionality to another to do this type of research" says Guido Camps, lead author of the study. "In conclusion, we've found that simply adding water increases stomach distension, curbs appetite in the short term and increases regional [brain activity](#)."



The same subject with either the small (left) or large volume of water (right) in the stomach (delineated in red). Credit: G Camps, R Veit, M Mars, C De Graaf, P Smeets

More information: Just add water: how water affects gastric distension, appetite and brain activity, Annual meeting of the Society for the Study of Ingestive Behavior, 2016.

Provided by Society for the Study of Ingestive Behavior

Citation: Just add water? New MRI technique shows what drinking water does to your appetite, stomach and brain (2016, July 12) retrieved 19 April 2024 from <https://medicalxpress.com/news/2016-07-mri-technique-appetite-stomach-brain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.