

Opportunistic salpingectomy doesn't impact ovarian reserve

July 14 2016



(HealthDay)—Opportunistic salpingectomy conducted at the time of



laparoscopic hysterectomy does not appear to negatively affect ovarian reserve or increase surgical risk, according to a study published online June 24 in *BJOG: An International Journal of Obstetrics & Gynaecology*.

Taejong Song, from the Sungkyunkwan University School of Medicine in Seoul, South Korea, and colleagues conducted a multicenter trial involving patients undergoing <u>laparoscopic hysterectomy</u> for treatment of symptomatic benign uterine disease. Patients were randomly allocated to opportunistic salpingectomy or no salpingectomy (34 each).

The researchers found that the two groups had similar baseline demographic and clinical characteristics. No between-group difference was seen in operative outcomes such as operative time, bleeding, or complications. In both groups the anti-Müllerian hormone (AMH) levels were significantly lower after surgery versus before surgery (P

"Opportunistic salpingectomy at the time of laparoscopic hysterectomy did not have any negative effects on <u>ovarian reserve</u> or increased <u>surgical risk</u>," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2016 HealthDay. All rights reserved.

Citation: Opportunistic salpingectomy doesn't impact ovarian reserve (2016, July 14) retrieved 11 May 2024 from https://medicalxpress.com/news/2016-07-opportunistic-salpingectomy-doesnt-impact-ovarian.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.