


# Breakthrough in understanding of brain development: Immune cell involvement revealed

August 25 2016



This research suggests that microglia are involved in neuronal circuit formation via filopodia formation at somatosensory cortex.

This research suggests that microglia are involved in neuronal circuit formation via filopodia formation at somatosensory cortex. Credit: NIPS/NINS

Microglia are cells that combat various brain diseases and injuries by

swallowing foreign or disruptive objects and releasing molecules that activate repair mechanisms. Recent findings have suggested these brain cells are also active under normal conditions, where they can contribute to maturation and sculpting of neuronal circuits. Researchers centered at the National Institute for Physiological Sciences (NIPS) have now revealed new mechanisms by which microglia sculpt neural circuits. They show that microglia directly contact neurons to induce the formation of new neuron projections that eventually will connect with other neurons and thereby increase and/or strengthen brain connectivity. These new findings could deepen understanding of how developmental disorders such as autism and schizophrenia may occur.

Early in development, neurons in the [brain](#) are particularly active in seeking out other neurons and forming connections with them. Cells called microglia, which were first identified via their protection of the brain against infection and decay, have recently also been shown to feature in brain development.

In a new study reported in *Nature Communications*, the researchers used a combination of fluorescent labeling of cells and molecules, and imaging of particular regions of developing mouse brains to clarify how microglia influence formation of [neuronal circuits](#). They demonstrated direct contact between microglia and dendrites, which are the parts of neurons that enable them to communicate with each other. This contact induces the formation of filopodia—thin structures that project out from the dendrites—seek out the terminals of other neurons, and form synapses that enable neuronal communication. "We were able to image microglia contacting dendrites using in vivo multiphoton imaging of layer 2/3 pyramidal [neurons](#). To our surprise, microglia - dendrite contact caused a quite rapid appearance and growth of filopodia" lead author Akiko Miyamoto says. "We found that such contact was associated with accumulation of Ca<sup>2+</sup> and actin, and that blocking the microglia activity led to fewer functional synapses and less specific

cortical circuits."

These findings could have important implications for a range of developmental diseases, as various studies have revealed associations between immune cells and neurodevelopmental disorders.

"We know that some brain disorders are linked to abnormal numbers of synapses or changes in their shape and function. Disruption of the immune environment in the developing brain could be linked to some disorders," corresponding author Junichi Nabekura says. "Our new findings about how microglia influence connectivity in the brain by creating filopodia that go on to produce synapses could give us new targets in the search for treatments for these conditions."

**More information:** "Microglia contact induces synapse formation in developing somatosensory cortex" *Nature Communications*, [DOI: 10.1038/ncomms12540](https://doi.org/10.1038/ncomms12540)

Provided by National Institutes of Natural Sciences

Citation: Breakthrough in understanding of brain development: Immune cell involvement revealed (2016, August 25) retrieved 23 April 2024 from <https://medicalxpress.com/news/2016-08-breakthrough-brain-immune-cell-involvement.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.