

New guidelines published for physicians treating patients with kidney stones

August 11 2016

Practice Changes in Kidney Stones

What you need to know



New Guidelines
50 Best Practice Statements

8.8%
U.S. Population Affected by Kidney Stones

 Direct & indirect treatment costs in the **Billions**

Who the New Guidelines Affect




Major Changes in Kidney Stone Treatments

Best practices in imaging & pre-op testing



Open dialogue to develop treatment plan

Ureteroscopic procedure using laser to breakup stones & remove



GOAL { Patient to be stone free after one procedure

A UAB urologist has led the development of extensive guidelines of surgical management of kidney stones. Credit: UAB News

A new guideline for the surgical management of patients with kidney and/or ureteral stones has been released by the American Urologic Association. Chair of the panel, Dean Assimos, M.D., worked with a team of kidney stone experts to develop one of the largest guidelines documents that the AUA has ever produced, highlighting more than 50 statements on best practices when treating patients with kidney and ureteral stones.

"The most pertinent change is that decision-making for treatment and therapy for patients with [kidney](#) and ureteral stones should be shared between physician and patient," said Assimos, chair of the University of Alabama at Birmingham Department of Urology.

Kidney stones affect more than 8.8 percent of the population in the United States, with direct and indirect treatment costs estimated to be several billion dollars per year, making it a common and costly disease.

The guidelines further outline expert recommendations in relation to treatment of renal stones, small hard mineral deposits formed inside the kidneys, and ureteral stones, stones that have moved from the kidney to the ureter.

These include:

- imaging and pre-operative testing
- treatment of adult patients with ureteral stones

- treatment of adult patients with renal stones
- treatment for pediatric patients with ureteral or renal stones
- treatment for pregnant patients with ureteral or renal stones
- treatment for all patients with ureteral or [renal stones](#)

The guidelines provide instruction on the evaluation of patients with renal and/or ureteral stones and highlight the lab and imaging studies that should be used prior to intervention for such patients.

The technical aspects of ureteroscopic removal of stones are addressed more extensively in the guidelines. The previous guidelines discussed medical expulsive therapy via the utilization of alpha blockers to facilitate the passage of stones in all segments of the ureter. However, the recent guidelines recommend this therapy only for stones in the distal ureter, which is located in the lower part of the kidney. Ureteroscopic removal of ureteral stones may potentially render a patient stone-free in one procedure. In this process, a ureteroscope is used to either extract an intact stone or break it up using a laser with subsequent removal of the generated fragments.

The guidelines further discuss the use of stents in the ureter after a ureteroscopic procedure. Clinicians may omit ureteral stenting in patients meeting all of the following criteria:

- no ureteral injury during ureteroscopy
- no anatomic obstruction, hindrance or obstacle to stone fragment clearance
- normal function in the opposite kidney and normal renal function
- no plans for secondary ureteroscopic procedure

"In the past, there was a portfolio of guidelines for physicians discussing prevention and treatment in various types of patients with [kidney stones](#)," Assimos said. "Evidence has changed over time, prompting an update

and the need for more comprehensive guidelines. The panel developed this set of guidelines based on evidence from past clinical trials and studies published in the peer reviewed literature, as well as expert consensus of the physician panelists."

Provided by University of Alabama at Birmingham

Citation: New guidelines published for physicians treating patients with kidney stones (2016, August 11) retrieved 18 April 2024 from <https://medicalxpress.com/news/2016-08-guidelines-published-physicians-patients-kidney.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.