

Many alcohol-related injuries occur at home

September 12 2016

Of all alcohol-related injuries in various public hospital emergency departments in Queensland, Australia, more occurred at home than at licensed premises.

Of the 12,296 <u>emergency department</u> visits in 2003 to 2012 for alcohol-related injuries, 36.1 percent occurred at home, 13.0 percent occurred on the street, and 9.8 percent occurred at licensed premises. Men were more likely to be seen at the emergency department for such at-home injuries than females. Of injuries identified as <u>domestic violence</u> by a spouse or partner, 59.5 percent occurred at home.

"The <u>home location</u> is of growing concern due to the upwards trend in drinking and alcohol-related injuries occurring at home, along with the home being an unregulated environment," wrote the authors of the *Journal of Clinical Nursing* study.

More information: Naomi Bunker et al, Patterns of 'at-home' alcohol-related injury presentations to emergency departments, *Journal of Clinical Nursing* (2016). DOI: 10.1111/jocn.13472

Provided by Wiley

Citation: Many alcohol-related injuries occur at home (2016, September 12) retrieved 4 May 2024 from https://medicalxpress.com/news/2016-09-alcohol-related-injuries-home.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.