


Sleep apnea diagnoses up among outpatients from 1993 to 2010

September 12 2016



(HealthDay)—From 1993 to 2010 there was an increase in the diagnosis

of sleep apnea in U.S. ambulatory practice visits, according to a study published online Sept. 1 in the *Annals of the American Thoracic Society*.

Andrew M. Namen, M.D., from the Wake Forest University School of Medicine in Winston-Salem, N.C., and colleagues examined trends in the frequency of adult outpatient visits in the United States for [sleep apnea](#). Data were included for 838,000 ambulatory practice visits from 1993 to 2010.

The researchers observed a 14.6-fold increase in the diagnosis of sleep apnea from 420,000 to 6.37 million per year ($P = 0.0002$). Overall, 33, 17, and 10 percent of patients were reported by primary care providers, pulmonologists, and otolaryngologists; reports of a diagnosis of sleep apnea by "other groups" increased during the study (P

"A [diagnosis](#) of sleep apnea was identified much more frequently in 2010 than in 1993 by outpatient practice clinicians participating in national surveys during outpatient visits to hospital-based as well as non-hospital based practices in the United States," the authors write.

More information: [Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Sleep apnea diagnoses up among outpatients from 1993 to 2010 (2016, September 12) retrieved 24 April 2024 from <https://medicalxpress.com/news/2016-09-apnea-outpatients.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--