

Study finds long-term hypertension risk for children after heart surgery

September 13 2016, by Ziba Kashef



Credit: stock.adobe.com

Each year, 40,000 children born in the United States have a heart defect, and about a quarter of them will require surgery. Although the outcomes for these children have improved and more are surviving to adulthood, they face other long-term risks, according to a new study.



A research team led by Yale professor of medicine Dr. Chirag Parikh recruited more than 100 children who had undergone <u>cardiac surgery</u> in one of three pediatric centers in North America. With phone calls and an in-person visit, they followed each patient for five years.

The research team found that both hypertension and kidney disease were common in the children five years after cardiac surgery. "We believe that the heart disease and the surgery over time, is predisposing children toward these adverse effects," said Parikh. The findings suggest the need for long-term monitoring of children who survive heart surgery. "As they get older, these children could have an increased risk for developing hypertension and <u>chronic kidney disease</u>," he noted.

More information: Jason H. Greenberg et al. Kidney Outcomes 5 Years After Pediatric Cardiac Surgery, *JAMA Pediatrics* (2016). DOI: 10.1001/jamapediatrics.2016.1532

Provided by Yale University

Citation: Study finds long-term hypertension risk for children after heart surgery (2016, September 13) retrieved 6 May 2024 from https://medicalxpress.com/news/2016-09-long-term-hypertension-children-heart-surgery.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.