


New computer program beats physicians at brain cancer diagnoses, could eliminate costly and risky brain biopsies

September 15 2016



MRI scans of patients with radiation necrosis (above) and cancer recurrence (below) are shown in the left column. Close-ups in the center column show the regions are indistinguishable on routine scans. Radiomic descriptors unearth subtle differences showing radiation necrosis, in the upper right panel, has less heterogeneity, shown in blue, compared to cancer recurrence, in the lower right,



which has a much higher degree of heterogeneity, shown in red. Credit: Pallavi Tiwari

Computer programs have defeated humans in Jeopardy!, chess and Go. Now a program developed at Case Western Reserve University has outperformed physicians on a more serious matter.

The program was nearly twice as accurate as two neuroradiologists in determining whether abnormal tissue seen on <u>magnetic resonance images</u> (MRI) were dead brain cells caused by radiation, called radiation necrosis, or if <u>brain cancer</u> had returned.

The direct comparison is part of a feasibility study published in the *American Journal of Neuroradiology* today.

"One of the biggest challenges with the evaluation of brain tumor treatment is distinguishing between the confounding effects of radiation and cancer recurrence," said Pallavi Tiwari, assistant professor of biomedical engineering at Case Western Reserve and leader of the study. "On an MRI, they look very similar."

But treatments for radiation necrosis and cancer recurrence are far different. Quick identification can help speed prognosis, therapy and improve patient outcomes, the researchers say.

With further confirmation of its accuracy, radiologists using their expertise and the program may eliminate unnecessary and costly biopsies Tiwari said. Brain biopsies are currently the only definitive test but are highly invasive and risky, causing considerable morbidity and mortality.

To develop the program, the researchers employed machine learning



algorithms in conjunction with radiomics, the term used for features extracted from images using computer algorithms. The engineers, scientists and physicians trained the computer to identify radiomic features that discriminate between brain cancer and radiation necrosis, using routine follow-up MRI scans from 43 patients. The images were all from University Hospitals Case Medical Center.

The team then developed algorithms to find the most discriminating radiomic features, in this case, textures that can't be seen by simply eyeballing the images.

"What the algorithms see that the radiologists don't are the subtle differences in quantitative measurements of tumor heterogeneity and breakdown in microarchitecture on MRI, which are higher for tumor recurrence," said Tiwari, who was appointed to the Department of Biomedical Engineering by the Case Western Reserve School of Medicine.

More specifically, while the physicians use the intensity of pixels on MRI scans as a guide, the computer looks at the edges of each pixel, explained Anant Madabhushi, F. Alex Nason professor II of biomedical engineering at Case Western Reserve, and study co-author.

"If the edges all point to the same direction, the architecture is preserved," said Madabhushi, who also directs the Center of Computational Imaging and Personalized Diagnostics at CWRU. "If they point in different directions, the architecture is disrupted—the entropy, or disorder, and heterogeneity are higher."

In the direct comparison, two physicians and the <u>computer program</u> analyzed MRI scans from 15 patients from University of Texas Southwest Medical Center. One neuroradiologist diagnosed seven patients correctly, and the second physician correctly diagnosed eight



patients. The computer program was correct on 12 of the 15.

Tiwari and Madabhushi don't expect the computer program would be used alone, but as a decision support to assist neuroradiologists in improving their confidence in identifying a suspicious lesion as radiation necrosis or cancer recurrence.

Next, the researchers are seeking to validate and the algorithms' accuracy using a much larger collection of images from across different sites.

Provided by Case Western Reserve University

Citation: New computer program beats physicians at brain cancer diagnoses, could eliminate costly and risky brain biopsies (2016, September 15) retrieved 10 April 2024 from https://medicalxpress.com/news/2016-09-physicians-brain-cancer-costly-risky.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.