

# What you see is not always what you get

September 19 2016



With experience, the activity of clearly defined neurons (black line) in the visual cortex predicts an upcoming visual stimulus. What we expect to see and what we actually see allows us to read this text—or leads to oversights. Credit: Friedrich Miescher Institute for Biomedical Research

Georg Keller and his group at the Friedrich Miescher Institute for Biomedical Research (FMI) have identified neurons in the visual cortex whose activity predicts an upcoming visual stimulus. This activity emerges with experience and is integrated with the actual sensory input. What we perceive is thus a combination of what we expect to see and what we actually see.

It has happened to all of us: we fail to notice a friend's new glasses, our partner's new hairdo, or a typo in the title of a talk. We simply do not see what is right in front of our eyes. Georg Keller, Junior group leader at the FMI, and his team have now found that these oversights are not due

to indifference, but can be explained biologically.

In an elaborate study published in *Nature Neuroscience*, the scientists show that – with experience – certain [neurons](#) in the visual cortex predict specific visual inputs in clearly defined situations. Keller explains: "The brain generates predictions of what we will see. For example, when we see a person day in, day out, we know what to expect and 'create' an internal image of that face; these expectations then influence what we actually see."

In the experiments, mice learned to navigate through a virtual tunnel, with different patterns on the tunnel wall serving as visual cues. As the mice gained experience, a specific response was observed in clearly defined neurons of the visual cortex which was predictive of the upcoming stimulus. According to first author Aris Fiser, a PhD student in the Keller lab: "These cells were active just before a certain visual cue appeared. By looking at these cells, you could predict what the mouse would see next." The signals from these neurons were then transmitted further within the visual cortex and integrated with the actual sensory signals coming from the eye.

In addition, if the mouse did not encounter an expected stimulus, a subgroup of neurons in the [visual cortex](#) selectively and strongly responded to its absence. Keller comments: "We showed that visual processing is strongly influenced by expectations. These expectations are formed through experience and can both suppress and enhance responses to deviations. In this way, visual perception is likely always a combination of what we expect to see and what we actually see."

**More information:** Aris Fiser et al. Experience-dependent spatial expectations in mouse visual cortex, *Nature Neuroscience* (2016). [DOI: 10.1038/nn.4385](https://doi.org/10.1038/nn.4385)

Provided by Friedrich Miescher Institute for Biomedical Research

Citation: What you see is not always what you get (2016, September 19) retrieved 5 May 2024 from <https://medicalxpress.com/news/2016-09-what-you-is-not-always.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.