

Most anaphylaxis patients in ER treated appropriately

October 12 2016



(HealthDay)—The majority of anaphylaxis patients seeking treatment in



Belgian emergency departments are treated in accordance with the European Academy of Allergy and Clinical Immunology (EAACI) guidelines, according to a study published Oct. 6 in *Allergy*.

Yora Mostmans, M.D., from Universitair Ziekenhuis Brussel, and colleagues analyzed patient data collected from April 2009 to April 2013 to determine how quickly <u>patients</u> presenting with <u>anaphylaxis</u> were treated in emergency departments and whether treatment followed the EAACI guidelines.

The researchers found that 0.04 percent of all emergency visits involved adults presenting with anaphylaxis. Nearly two-thirds (64 percent) of patients received their first medical help later than 30 minutes after <u>symptom onset</u>. Treatment included: adrenaline (67 percent), oral antihistamines (85 percent), and IV glucocorticosteroids (89 percent). Forty-six percent of patients were discharged directly from the emergency department, of whom 87 percent received further medical prescriptions and three-fourths were instructed to consult an allergist for adequate diagnosis. Fifty-four percent of patients were hospitalized.

"The majority of patients were treated according to the EAACIguidelines for management of anaphylaxis, but only a minority received the recommended adrenaline auto-injector for self-administration at discharge," the authors write.

More information: <u>Full Text (subscription or payment may be</u> <u>required)</u>

Copyright © 2016 HealthDay. All rights reserved.

Citation: Most anaphylaxis patients in ER treated appropriately (2016, October 12) retrieved 24 April 2024 from



https://medicalxpress.com/news/2016-10-anaphylaxis-patients-er-appropriately.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.