

Preventing child obesity in the next generation

October 13 2016



Credit: King's College London

The key to preventing obesity in future generations is to make (their) parents healthier before they conceive, leading health researchers suggest.

In a series of papers published in *The Lancet Diabetes and Endocrinology* the researchers, including those from King's College London, say that the time before couples conceive represents a missed opportunity to prevent the transmission of <u>obesity</u> risk from one generation to the next. They argue that a new approach is needed to motivate future parents to live a healthier lifestyle.

There is now a wealth of evidence that the risk of obesity and its associated conditions, such as heart disease diabetes and some cancers, are passed to the baby while growing in the womb. In turn, when the



child becomes a young adult they may pass the risk of obesity on to their children – it is a vicious cycle.

The nature of this problem is not adequately appreciated, say researchers. Many young people, whilst appearing outwardly healthy, are nonetheless on a risky path to obesity and chronic disease, more likely to pass this risk to their children, the researchers warn. Many pregnancies are unplanned, and the special needs of adolescents and <u>young people</u> at this important time are not sufficiently recognised. Far from helping them to prepare and plan for pregnancy and parenthood, many public health programmes assume that their needs are similar to the general population and require no special measures or provisions.

Each of the four papers in the Lancet series tackles a different aspect of the challenge. The first paper, a review from King's and the USA National Institute of Health, was led by Professor Lucilla Poston, Head of Division of Women's Health at King's.

The review looked at trends in the global prevalence of obesity among women and the adverse consequences for reproductive health and pregnancy outcome, especially in those countries least able to accommodate associated health-care costs. A number of studies have shown the high prevalence of <u>maternal obesity</u> in high income countries; the rise in obesity among European countries and in the US have been rapid.

In low-income and middle-income countries (LMICS) major changes in diet and physical activity patterns during the past three decades have resulted in a continuous upward trend in obesity, with increasingly present levels of obesity in women from rural areas. Particularly striking rises have occurred in some of these countries. In India, 0.8 million women were obese in 1975 compared to an estimated 20 million in 2014. The increase in obesity is a major cause of infertility and is



responsible for spiralling rates of gestational diabetes and delivery of overweight babies.

Lead author Professor Lucilla Poston, said: 'Most women with obesity who intend to conceive are not aware of the risks of infertility or complications. Obesity challenges the health of the mother and has much wider and long-lasting consequences than are generally appreciated by either health professionals or women themselves. A pragmatic solution is required on a global scale, particularly in low-income and middleincome countries where we see a rapidly rising problem.'

More information: Influence of maternal obesity on the long-term health of offspring. DOI: <u>dx.doi.org/10.1016/S2213-8587(16)30107-3</u>

Provided by King's College London

Citation: Preventing child obesity in the next generation (2016, October 13) retrieved 3 May 2024 from <u>https://medicalxpress.com/news/2016-10-child-obesity.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.