

Guidelines presented for fluoroquinolone use in children

October 31 2016



(HealthDay)—In a clinical report published online Oct. 31 in *Pediatrics*,

guidelines are presented for the use of systemic and topical fluoroquinolones in children.

Mary Anne Jackson, M.D., and colleagues from the American Academy of Pediatrics Committee on Infectious Diseases discuss the use of systemic and topical fluoroquinolones in children.

The researchers note that fluoroquinolones are broad-spectrum agents which should be considered for use in specific situations. These include infection caused by a multidrug-resistant pathogen for which there is no alternative that is safe and effective, and for situations in which oral fluoroquinolone therapy is an acceptable alternative to parenteral non-fluoroquinolone therapy. Fluoroquinolones may also represent a preferred option or an acceptable alternative to standard therapy due to concerns of [antimicrobial resistance](#), toxicity, or tissue penetration characteristics.

"In the case of fluoroquinolones, as is appropriate with all [antimicrobial agents](#), prescribing clinicians should verbally review common, anticipated, potential adverse events, such as rash, diarrhea, and potential musculoskeletal or neurologic events and indicate why a fluoroquinolone is the most appropriate antibiotic agent for a child's infection," the authors write.

More information: [Full Text](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Guidelines presented for fluoroquinolone use in children (2016, October 31) retrieved 18 April 2024 from <https://medicalxpress.com/news/2016-10-guidelines-fluoroquinolone-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.