

Outreach program boosts dialysis facilities' referrals for kidney transplantation

October 13 2016

An educational and outreach initiative boosted kidney transplant referrals and reduced racial disparities in such referrals in Georgia, the state with the lowest kidney transplantation rate and the highest proportion of African Americans with kidney failure. The findings appear in an upcoming issue of the *Journal of the American Society of Nephrology (JASN)*.

Racial disparities exist in access to early steps in the [kidney transplant](#) process, including referral from a dialysis facility to a transplant center. Although a number of studies have attempted to intervene to improve access to transplantation, few have examined whether an intervention can reduce disparities.

With the goal of not only improving referral for transplantation but also reducing racial disparities, Rachel Patzer, PhD, MPH (Emory University School of Medicine) and her colleagues conducted the Reducing Disparities in Access to kidNey Transplantation (RaDIANT) Community Study, a randomized, dialysis facility-based, controlled trial involving 9000 patients receiving dialysis from 134 dialysis facilities in Georgia.

During the study, dialysis facilities with either low transplant referral or racial disparities in referral participated in transplant education and engagement activities targeting dialysis facility leadership, staff, and patients. For example, one intervention activity involved a non-profit organization (Georgia Transplant Foundation) that helped place patients

who had previously received a transplant to go to a dialysis facility and talk with patients about their experience. Another intervention activity included educational webinars about transplantation for clinical staff, including information about the common barriers that patients may face and solutions for overcoming these barriers.

Compared with control facilities, facilities that adopted such activities had an increased likelihood of referring patients for kidney transplant evaluation over the following year. "We also found that intervention activities were more effective in getting African American patients referred for transplant compared with whites," said Dr. Patzer. "This resulted in a significant reduction in [racial disparities](#) in referral for transplantation."

In the intervention facilities, the proportion of African American [kidney failure](#) patients who were referred increased from 10% at baseline to 16% at 1 year, whereas referrals decreased from 11.8% to 10.0% in control facilities. Among white kidney failure patients, there was a small, non-significant increase in the average proportion of patients referred for transplantation (from 9.6% to 10.6%) in the intervention facilities vs. a drop from 7.8% to 7.0% in control facilities.

More information: "A Randomized Trial to Reduce Disparities in Referral for Transplant Evaluation," October 13, 2016; [DOI: 10.1681/ASN.2016030320](#)

Provided by American Society of Nephrology

Citation: Outreach program boosts dialysis facilities' referrals for kidney transplantation (2016, October 13) retrieved 19 April 2024 from <https://medicalxpress.com/news/2016-10-outreach-boosts-dialysis-facilities-referrals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.