

UV light disinfection significantly reduces *Clostridium difficile* incidence

October 6 2016

Ultraviolet C light disinfection to clean unoccupied patient rooms significantly reduced *C. difficile* infections (CDI) in high-risk patients who later occupied those rooms, according to a study published today in *Infection Control & Hospital Epidemiology*, the journal of the Society for Healthcare Epidemiology of America. The no-touch device, used after patients with CDI were discharged from the hospital, also resulted in substantial healthcare savings, estimated between \$350,000 and \$1.5 million annually.

"UV light disinfection is a fast, safe, and effective technology to reduce the risk of *C. difficile* infection associated with the hospital environment," said David Pegues, MD, lead author of the study and a professor of Medicine in the Perelman School of Medicine at the University of Pennsylvania. "The success of this technology is dependent on Environmental Services employees as a critical partner in our ongoing efforts to eliminate hospital-acquired infections such as *C. difficile* and to improve patient safety."

The study was conducted in three hematology-oncology units at the Hospital of the University of Pennsylvania during a one-year period (February 2014-January 2015). Results showed that adding UV disinfection to typical disinfection protocols reduced the incidence of CDI by 25 percent among new patients in these units, compared to the prior year. At the same time, CDI rates increased 16 percent in the non-study units during this period. The team found that using the [ultraviolet](#) robot after a room cleaning by members of the Environmental Services

team not only reduced the number of infections, but did so without adversely impacting room turnaround time. According to this study, room cleaning took only five minutes longer on average compared to non-study units.

"These findings have real implications for both health systems and patients. The effectiveness and efficiency of UV-C robots make it a practical and cost effective technology that will benefit hospitals around the country and save people's lives," said Pegues.

The technique, known as ultraviolet wavelength C germicidal irradiation, uses short-wavelength ultraviolet light to kill microorganisms. CDI is one of the most common healthcare-acquired infections in the United States and is associated with serious complications. It is resistant to many surface disinfectants and can persist on surfaces, making it an ongoing risk for transmission to patients.

While the UV disinfection device proved to be effective at reducing CDI incidence, it showed no effect on other healthcare-associated infections, such as methicillin-resistant *Staphylococcus aureus* (MRSA).

More information: David A. Pegues et al, Impact of Ultraviolet Germicidal Irradiation for No-Touch Terminal Room Disinfection on *Clostridium difficile* Infection Incidence Among Hematology-Oncology Patients, *Infection Control & Hospital Epidemiology* (2016). DOI: [10.1017/ice.2016.222](https://doi.org/10.1017/ice.2016.222)

Provided by Society for Healthcare Epidemiology of America

Citation: UV light disinfection significantly reduces *Clostridium difficile* incidence (2016, October 6) retrieved 27 April 2024 from <https://medicalxpress.com/news/2016-10-uv->

[disinfection-significantly-clostridium-difficile.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.