

Anesthesia changes neuronal choreography

November 11 2016

Even under deep anesthesia, nerve cells remain highly active. A study conducted by researchers from Charité - Universitätsmedizin Berlin has shown by high-resolution cellular imaging that local neuronal networks remain active even when the brain is unconscious. Under anesthesia, the nerve cells change their mode of operation by firing more synchronously, and by becoming surprisingly reactive to environmental stimuli. Results from this research have been published in the journal *Frontiers in Cellular Neuroscience*.

Establishing how the brain produces consciousness is one of the most challenging research questions in the field of neuroscience. In an effort to get closer to an answer, a team led by Dr. Mazahir T. Hasan, a researcher with Charité's NeuroCure Cluster of Excellence, joined forces with colleagues from the Max Planck Institute for Medical Research in Heidelberg. By visualizing [neuronal activity](#) in the brains of mice, they were able to compare how brain activity differs in conscious and anesthetized mice. NeuroCure's Dr. Hasan explains: "We used a fluorescent protein that converts electrical signals into light signals. This enabled us to visualize the frequency and average amplitude of neuronal responses, and allowed us to reveal the existence of neuronal synchrony." Results from this research would suggest that consciousness is not simply dependent on the number of active neurons inside the cortex; instead, it seems to be dependent upon the way these [nerve cells](#) communicate and on the degree to which they manage to differ in terms of their activity patterns.

The awake cortex showed complex activity patterns, with individual cells

firing at different times. Under [anesthesia](#), all neurons displayed identical activity patterns and fired at the same time. "While one might expect the brain to cease its activity under anesthesia, in reality, the situation is quite different. Neurons remain highly active but change their communication mode. During unconsciousness they become highly synchronized—in simple terms all neurons start doing the same thing. " explains Mr. Thomas Lissek, a neurobiologist from Heidelberg and the study's first author. Another surprising finding was that neurons were more sensitive to [environmental stimuli](#) under anesthesia than when the brain was awake. "This is especially surprising, as anesthesia is used to block both pain and environmental stimuli during surgery," says Mr. Lissek. Some of the brain regions that are normally dedicated to tactile perception even responded to sound information.

These new insights into neuronal [activity patterns](#) provide information regarding the identity of the cellular parameters involved in producing consciousness and the loss of consciousness. Once combined with further advances that would allow us to measure neuronal activity inside the human [brain](#), these findings could contribute to improving our diagnostic capabilities in conditions such as coma and locked-in syndrome. For the first time, this study succeeded in showing that it is possible to observe visually identifiable neuronal networks over a period of several weeks in order to study the after-effects of anesthesia. "It is clear that investigation of anesthesia will produce deep insights into the mechanism of consciousness", emphasizes Hasan.

More information: Thomas Lissek et al, General Anesthetic Conditions Induce Network Synchrony and Disrupt Sensory Processing in the Cortex, *Frontiers in Cellular Neuroscience* (2016). [DOI: 10.3389/fncel.2016.00064](#)

Provided by Charité - Universitätsmedizin Berlin

Citation: Anesthesia changes neuronal choreography (2016, November 11) retrieved 25 April 2024 from <https://medicalxpress.com/news/2016-11-anesthesia-neuronal-choreography.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.