


# Mending a broken heart: New advanced heart patch developed

November 30 2016

---



A flexible polymer patch which improves the conduction of electrical impulses across damaged heart tissue in animals. It can be attached to the heart without the need for stitches. Credit: UNSW

Researchers have made a significant advance in heart attack research, with the development of a polymer patch which improves the conduction

of electrical impulses across damaged heart tissue.

The flexible patch, which has been shown to work in animal models, is long lasting and has the significant advantage that it can be stuck onto the [heart](#) without the need for stitches.

The research, by an Australian and British team led by Dr Damia Mawad at UNSW in Sydney and Professor Molly Stevens at Imperial College London, is published in the journal *Science Advances*.

"Heart attacks create a scar which slows and disrupts the conduction of electrical impulses across the heart," says study team member Professor Sian Harding of Imperial's National Heart and Lung Institute.

"This leads to potentially fatal disturbances of the heart rhythm. Our electrically conducting polymer patch is designed to address this serious problem."

The patch is made from three components: a film of chitosan, a polysaccharide found in crab shells that is often used as a food additive; polyaniline, a conducting polymer that is grown on top; and phytic acid, a substance found in plants which is added to the polyaniline to switch it to its conducting state.

"Conducting polymers work when they are dry, but most become non-conducting in a very short time when placed in bodily fluids," says study first author Dr Mawad, of UNSW 's School of Materials Science and Engineering.

"Our suture-less patch represents a big advance. We have shown it is stable and retains its conductivity in physiological conditions for more than two weeks, compared with the usual one day of other designs.

"No stitches are required to attach it, so it is minimally invasive and less damaging to the heart, and it moves more closely with the heart's motion."

The patch is made to adhere to the heart tissue by shining a green laser on it, in a patented technique developed at UNSW by Dr Antonio Lauto of Western Sydney University.

Team members at the British Heart Foundation's Imperial Cardiovascular Regenerative Medicine Centre, led by Professor Harding and Professor Cesare Terracciano, tested the patch by implanting it into rats. They found it improved the conduction of [electrical impulses](#) across the heart scar tissue.

"We envisage [heart attack](#) patients eventually having patches attached as a bridge between the healthy and the scar tissue, to help prevent cardiac arrhythmia. However, our patch is at the very early stages of this research. This technology can now be used for basic research to gain insights into the interface between the material and tissue," says Dr Mawad.

Professor Molly Stevens says: "The [patch](#) can help us better understand how conductive materials interact with [heart tissue](#) and influence the electrical conduction in the heart, as well as better understand the physiological changes associated with heart attacks."

**More information:** "A conducting polymer with enhanced electronic stability applied in cardiac models," *Science Advances*, [advances.sciencemag.org/content/2/11/e1601007](https://advances.sciencemag.org/content/2/11/e1601007)

Provided by University of New South Wales

Citation: Mending a broken heart: New advanced heart patch developed (2016, November 30)  
retrieved 27 April 2024 from

<https://medicalxpress.com/news/2016-11-broken-heart-advanced-patch.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.