

# Fear of gaining weight may influence contraception choices

November 17 2016

---

Concerns about weight gain may be driving contraception choices, according to Penn State College of Medicine researchers. Women who are overweight or obese are less likely than women who are not overweight or obese to use the birth control pill and other hormonal contraceptive methods.

Weight gain is one of the most commonly cited reasons why women stop using hormonal contraception, and therefore may play a role in the risk of unintended pregnancies, said Cynthia H. Chuang, professor of medicine and public health sciences. Although oral contraception likely does not cause weight gain, says Chuang, many women attribute increasing weight with the [birth control pill](#). The birth control shot has been associated with weight gain in younger women.

Chuang and her co-researchers wanted to learn if women's weight or their perception of weight influenced the type of birth control they used, if any. To do so, they examined demographic and survey data from almost 1,000 privately insured women in Pennsylvania.

The researchers categorized weight category based on [body mass index](#) (BMI), a measure of body size based on height and weight.

They determined that overweight and [obese women](#) were more likely than women who are not overweight or obese to choose forms of birth control known as long-acting reversible contraceptives (LARCs), and less likely to use methods like the pill, the shot, the patch and the ring.

There was also a trend toward overweight and obese women to be more likely to use non-prescription methods such as condoms, withdrawal and natural family planning, or no method. The researchers will report their results in the journal *Contraception*.

Long-acting reversible contraceptives include intrauterine devices, commonly known as IUDs, and the contraceptive implant. LARCs do not contain estrogen, which some women believe causes weight gain.

"What we think may be happening is that women who are overweight and obese may be more likely to choose methods other than the pill or the shot because of fear of weight gain," Chuang said. "As a result, they are choosing both more effective methods (LARCS) and less effective, non-prescription methods."

Researchers found that 23 percent of overweight and 21 percent of obese women used LARCs, which are the most effective forms of birth control. In contrast, only 6 percent of under-weight and normal-weight women used LARCs in the study.

"We were actually glad to see that overweight and obese women were at least more likely to choose LARCs because I was expecting to see these women more likely to use non-prescription methods," Chuang said.

Heavier women also were more likely than normal-weight women to use less-effective non-prescription birth control methods—such as condoms—or no method at all. However, these results did not reach statistical significance, Chuang said.

The researchers also evaluated whether perception of weight influenced contraceptive choice. In the study, half of the women perceived themselves to be overweight, although only around 42 percent of them

were [overweight](#) or obese based on BMI. This perception, however, did not appear to influence birth control choice.

"Women may be worried about [weight gain](#) when they're making decisions about [birth control](#), so clinicians need to be aware of that," Chung said. "It could be an opportunity to counsel [women](#) about LARCs, which are more effective forms of contraception."

Provided by Pennsylvania State University

Citation: Fear of gaining weight may influence contraception choices (2016, November 17)  
retrieved 5 May 2024 from  
<https://medicalxpress.com/news/2016-11-gaining-weight-contraception-choices.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--