

Researcher finds key to drug resistant bowel cancer

November 8 2016

Blocking a molecule could bypass bowel cancer's defence against the drug cetuximab, according to new research presented at the National Cancer Research Institute (NCRI) Cancer Conference in Liverpool.

Cetuximab is used to treat advanced bowel cancer, and just under half of bowel cancer patients are given the drug. While it helps many patients, there are some for whom it doesn't work at all and for others it loses effectiveness.

To understand why this happens, scientists at Queen's University Belfast treated bowel cancer cells in the lab with cetuximab. They found that some cells survived the treatment by increasing the activity of a protein called ADAM17.

But if they gave a drug that blocked the protein ADAM17 at the same time as cetuximab the cancer cells died.

For other cancer cells, cetuximab treatment alone stopped them growing initially, but over time they became resistant and started growing again. In these cases, the cancer cells were finding a different way to outmanoeuvre the treatment that didn't involve ADAM17.

Cetuximab works by blocking a molecule known as epidermal growth factor receptor (EGFR), which tells cells to grow.

There are around 41,000 cases of bowel cancer diagnosed in the UK

each year. And each year around 16,000 die of the disease. Dr Sandra Van Schaeybroeck, the lead researcher based at Queen's University Belfast, said: "While some bowel cancer patients respond well to cetuximab treatment, many will relapse, or not benefit from the drug. Our work shows that combining this treatment with an ADAM17 inhibitor could be a promising avenue of therapy for patients who don't respond to cetuximab by itself.

"More work is needed before we can safely test this combination in patients, but the prospect of cutting off cancer's path to resistance is very exciting."

Professor Peter Johnson, Cancer Research UK's chief clinician, said: "This work shows how some bowel cancer cells are able to avoid damage from a particular drug, and offers a way to prevent it. The next step is to find out whether this could work in patients."

Professor Richard Wilson, Chair of the NCRI's Colorectal Cancer Clinical Studies Group, said: "Bowel cancer is the fourth most common cancer in the UK, and it's the second biggest cancer killer - so it's vital that we find ways to break through the disease's resistance to treatment."

"A big issue facing bowel [cancer patients](#) is the prospect of their cancer coming back. Understanding the mechanisms that bowel [cancer cells](#) use to evade [treatment](#) with cetuximab will help us find ways to delay or prevent it recurring. This will help more people with [bowel cancer](#) live longer and with better quality of life."

Provided by Cancer Research UK

Citation: Researcher finds key to drug resistant bowel cancer (2016, November 8) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-11-key-drug-resistant-bowel-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.