

## Probable interaction ID'd for PrOD, ribavirin with warfarin

November 8 2016

---



(HealthDay)—There is a probable interaction between

paritaprevir/ritonavir/ombitasvir+dasabuvir (PrOD) plus ribavirin with warfarin, according to a case report published online Nov. 3 in the *Journal of Clinical Pharmacy and Therapeutics*.

Gina M. Puglisi, Pharm.D., from VA Maine Healthcare System in Augusta, and colleagues present the case of a probable interaction between PrOD with ribavirin and warfarin in a 58-year-old with hepatitis C virus genotype 1a, who was treatment naive. The patient took outpatient medications, including warfarin for stroke risk reduction. The patient was initiated on PrOD with ribavirin for 12 weeks for hepatitis treatment.

The authors note that the patient's international normalized ratio (INR) became subtherapeutic two weeks after the start of PrOD with ribavirin. Therapeutic INR was achieved 11 weeks into [therapy](#) and following a 125 percent total increase in the weekly warfarin dose. The patient's INR became critically supratherapeutic 13 days after completion of direct-acting antiviral therapy was completed and discontinued. A score of +7 was obtained using the Naranjo Nomogram, which indicated that the increase in INR for warfarin produced by PrOD with ribavirin was probable.

"Patients on PrOD plus [ribavirin](#) with warfarin should have INR followed closely upon initiation and discontinuation of therapy due to a probable drug interaction," the authors write.

**More information:** [Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Probable interaction ID'd for PrOD, ribavirin with warfarin (2016, November 8)

retrieved 27 April 2024 from

<https://medicalxpress.com/news/2016-11-probable-interaction-idd-prod-ribavirin.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.