


The wiring of fly brains—mapping cell-to-cell connections

November 2 2016



Microscopy images of a fly larval brain and nerve cord. The fluorescently tagged red cells have a signal on their surface that induces any cell that receives these signals to glow green. In this image, a type of glial cells (shown in red at left), make contact with a set of nearby neurons, triggering them to express a green fluorescent protein (middle). The picture at right shows the merged images of both red and green cells, and reveals which neurons are connected to the glial cells. Credit: Lois Laboratory/Caltech

Biologists at Caltech have developed a new system for visualizing connections between individual cells in fly brains. The finding may ultimately lead to "wiring diagrams" of fly and other animal brains, which would help researchers understand how neurons are connected.

"To understand how the brain works we need to know how neurons are wired to each other," says Carlos Lois, research professor in the Division

of Biology and Biological Engineering at Caltech and principal investigator of the new research, which appears in the November issue of the journal *Development*. "This is similar to understanding how a computer works by looking at how transistors are connected."

Animals are made up of different types of specialized cells. In order for an animal to function, the cells have to be able to communicate with each other. For example, neurons directly communicate with [muscle cells](#) so that an animal can move. In diseases such as cancer, this communication process can go awry: when tumors metastasize, they no longer "listen" to neighboring cells that tell them not to grow. Instead, the [cancer cells](#) grow uncontrollably and migrate to other parts of the body.

In the new study, Lois and colleagues created a synthetic system for visualizing communicating cells in the fruit fly *Drosophila melanogaster*. Though this initial study focused on the brain, the system could be applied to imaging networks of cells in any other organ.

The technique depends on two groups of cells: the emitters, which are those that give off a signal, and the receivers, which are those that register the signal. Emitters glow red, while any cell they are in contact with (receivers) glow green. The researchers take pictures of the red and green cells through a microscope, and the resulting patterns reveal how cells in the brain "talk" to each other.



Microscopy image of a fly larval brain and nerve cord shows how a class of glial cells (red) are connected to a subset of neurons (green). The red spindly chords are nerves wrapped by glial cells. Credit: Lois Laboratory/Caltech

"It's like the six degrees of separation game, where you can find a connection between anybody and a celebrity in six steps or less. But we start with one degree at a time," says Lois. "First we look at one type of emitter cell and figure out which cells it is connected to. Then we go to those cells that were connected to the initial emitter cells and, in turn,

find out which cells they are connected to."

The system works through genetic manipulations of cells. The researchers genetically alter designated emitter cells in fly brains—various neurons or [glial cells](#) in this case—to express two independent proteins. First, the emitter cells are made to express a red fluorescent protein, which allows the researchers to identify the cells' location. Next, the emitter cells express a molecule called a ligand that can activate receptors on receiver cells. All of the cells in the fly brain have the potential to become receiver cells: they are engineered to express a green fluorescent protein but only when activated by emitter cells. In other words, the red, ligand-producing cells make any cell they are in contact with turn green.

Among other applications, the system could be used to trace the path of cancer cells as they migrate through an animal's body. "You could see how a cancer cell left a tumor from its site of origin and how it entered a particular organ," says Lois.

In addition, the cells can be genetically manipulated in such a way to reveal not just the connections between cells but also their functions. For example, by rewiring the neurons in an animal's brain, researchers could use the new system to study the role of those neurons.

"We can understand how a computer works by changing the way that the transistors are connected in a circuit, and observing how the output of the computer changes," says Lois. "With the system that we have designed, we can modify how [cells](#) interact with each other in an animal, essentially rewire them, and examine how behaviors change as a result."

Lois and his colleagues ultimately would like to use their new tool to create wiring diagrams of fly and mouse brains on a neuron-to-neuron basis. That goal may be years off but would provide clues to the complex

workings of human brains and the diseases, such as cancer, that result when cell communication breaks down.

More information: Ting-Hao Huang et al. Monitoring cell-cell contacts in transgenic animals, *Development* (2016). [DOI: 10.1242/dev.142406](https://doi.org/10.1242/dev.142406)

Provided by California Institute of Technology

Citation: The wiring of fly brains—mapping cell-to-cell connections (2016, November 2) retrieved 3 May 2024 from <https://medicalxpress.com/news/2016-11-wiring-brainsmapping-cell-to-cell.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--