

Women are not affected by their menstrual cycle during exercise heat stress

November 30 2016



A picture of the author and participant while taking part in the experiment.
Credit: David Wiltshire, Massey University, New Zealand

Menstrual cycle phase does not affect a woman's autonomic heat responses (skin blood flow and sweating) at rest or during fixed intensity exercise.

That's according to a collaboration between Massey University, the University at Buffalo and the University of Otago. They also found that exercise performance was impaired by humid heat due to the reduced

ability of the body to sweat effectively.

The research, published today in *The Journal of Physiology*, studied the effects of heat on ten well-trained [women](#) across their menstrual cycles. Each woman completed four trials comprising of resting and fixed-intensity cycling followed by a 30-minute variable-intensity performance trial. The trials were conducted in the early-follicular (days 3-6) and mid-luteal (days 18-21) phases of their menstrual cycle in dry and humid heat environments.

Dr Toby Mündel from Massey University and co-author of the study said "This study indicates that trained women self-pace to minimise autonomic differences (skin blood flow and sweating) but at the expense of their [exercise performance](#) under humid heat stress.

One in two competitive women believe that their [menstrual cycle](#) negatively impacts training and performance; however, these results question the assertion made by previous researchers that women should avoid competition or face a disadvantage when performing exercise with [heat stress](#) during their luteal phase."

Upcoming international events such as the 2018 Commonwealth Games will expose athletes to high levels of environmental heat making understanding how the body responds to these conditions of high interest and relevance. Of the limited studies that have investigated how females respond to such [heat](#) stress none can explain how a well-trained, competitive woman will respond and perform.

Due to the proportion of competitive women that take the [oral contraceptive pill](#) it remains to be investigated whether these athletes differ in their response and performance in hot and humid environments.

More information: Tze-Huan Lei et al, Influence of menstrual phase

and arid. humid heat stress on autonomic and behavioural thermoregulation during exercise in trained but unacclimated women, *The Journal of Physiology* (2016). [DOI: 10.1113/JP273176](https://doi.org/10.1113/JP273176)

Provided by The Physiological Society

Citation: Women are not affected by their menstrual cycle during exercise heat stress (2016, November 30) retrieved 20 March 2024 from <https://medicalxpress.com/news/2016-11-women-affected-menstrual-stress.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--