


Cancer drug may cause women to grow new eggs, study suggests

December 6 2016



Follicles in ovarian tissue from (i) a 22-year-old treated with ABVD chemotherapy, (ii) from an untreated 8-year-old; (iii) a healthy 23-year-old; and following OEPA COPDAC chemotherapy treatment (iv). Credit: University of Edinburgh

Women treated with a common chemotherapy drug combination have more young eggs in their ovaries afterwards, research has found.

A small study indicates that a therapy commonly used to target Hodgkin's lymphoma appears to increase the number of non-growing [eggs](#) in [women](#)'s ovaries.

Researchers say it is too soon to link the outcome to fertility, but believe more research is needed to better understand the findings and their implications.

Scientists from the University of Edinburgh analysed samples of ovary tissue donated by 14 women who had undergone chemotherapy, and from 12 healthy women.

They found that the ovaries from eight of the cancer patients, who had been treated with a [drug combination](#) known as ABVD, had a much greater incidence of immature, or non-growing, eggs compared with tissue from women who had received a different chemotherapy, or from healthy women of a similar age.

The ovary tissue was seen to be in healthy condition, appearing similar to [tissue](#) from young women's ovaries.

If further research can reveal the mechanism by which treatment with ABVD results in increased production of eggs, this would aid understanding of how women might be able to produce more eggs during their lifetime, which was until recently thought to be impossible.

Researchers had set out to better understand why treatment with ABVD is one of the few cancer drug combinations that does not impact on women's fertility.

Future studies will examine the separate impact of each of the four drugs that combine to make ABVD - known as adriamycin, bleomycin, vinblastine and dacarbazine - to better understand the biological

mechanisms involved.

The study, published in *Human Reproduction*, was supported by the Medical Research Council.

Lead researcher Professor Evelyn Telfer of the University of Edinburgh's School of Biological Sciences, said: "This study involves only a few patients, but its findings were consistent and its outcome may be significant and far-reaching. We need to know more about how this drug combination acts on the [ovaries](#), and the implications of this."

More information: OUP accepted manuscript, *Human Reproduction* (2016). [DOI: 10.1093/humrep/dew260](https://doi.org/10.1093/humrep/dew260)

Provided by University of Edinburgh

Citation: Cancer drug may cause women to grow new eggs, study suggests (2016, December 6) retrieved 5 May 2024 from <https://medicalxpress.com/news/2016-12-cancer-drug-women-eggs.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--