

Ciprofloxacin plus fluocinolone more effective for peds AOMT

December 28 2016



(HealthDay)—For children with acute otitis media with tympanostomy

tubes (AOMT), ciprofloxacin plus fluocinolone is more effective than ciprofloxacin or fluocinolone alone, according to a study published online Dec. 22 in *JAMA Otolaryngology-Head & Neck Surgery*.

Zorik Spektor, M.D., from the Center for Pediatric ENT-Head and Neck Surgery in Boynton Beach, Fla., and colleagues examined the efficacy and safety of topical ciprofloxacin plus fluocinolone acetate otic solution relative to ciprofloxacin otic solution alone and fluocinolone acetate otic solution alone for AOMT treatment. Data were included for two twin multicenter randomized trials. The study population included 662 children with AOMT in at least one ear who were randomized to ciprofloxacin plus fluocinolone (223 children), ciprofloxacin alone (221 children), or fluocinolone alone (218 children) for seven days.

The researchers found that the median time to cessation of otorrhea was 4.23 days in patients receiving ciprofloxacin plus fluocinolone, 6.95 days in those receiving ciprofloxacin alone, and not estimable in those receiving fluocinolone alone (P

"The combination of ciprofloxacin plus fluocinolone is more effective than treatment with ciprofloxacin or fluocinolone alone for AOMT, and it is safe and well tolerated in [children](#)," the authors write.

Several authors disclosed financial ties to pharmaceutical companies, including Laboratorios SALVAT SA, which sponsored the clinical trials as part of the U.S. Food and Drug Administration approval of [ciprofloxacin](#) plus fluocinolone combination for [treatment](#) of AOMT.

More information: [Full Text](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Ciprofloxacin plus fluocinolone more effective for peds AOMT (2016, December 28)
retrieved 16 July 2024 from <https://medicalxpress.com/news/2016-12-ciprofloxacin-fluocinolone-effective-peds-aomt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.