

Fecal microbiota transplant cost-effective for preventing CDI

December 12 2016



(HealthDay)—Use of fecal microbiota transplantation (FMT) is cost-



effective for recurrent *Clostridium difficile* infection (CDI), according to a study published in the December issue of the *Journal of Gastroenterology and Hepatology*.

Gregory Merlo, from the Queensland University of Technology in Brisbane, Australia, and colleagues examined the cost-effectiveness of FMT compared with vancomycin for the treatment of recurrent CDI. A Markov model was developed to compare cost-effectiveness, with the structure of the model and choice of parameter values informed by a literature review of <u>clinical evidence</u>.

The researchers found that, compared with vancomycin, both nasoduodenal and colorectal FMT resulted in improved quality of life and reduced cost. Compared with vancomycin, the incremental effectiveness of FMT was 1.2 quality-adjusted life-years or 1.4 lifeyears saved. Vancomycin treatment resulted in increased costs of AU\$4,094 and AU\$4,045 compared with nasoduodenal and colorectal delivery of FMT, respectively. There was no significant difference in cost between nasoduodenal and colorectal FMT.

"If FMT, rather than <u>vancomycin</u>, became standard care for recurrent CDI in Australia, the estimated <u>national health care</u> savings would be over AU\$4,000 per treated person, with a substantial increase in quality of life," the authors write.

More information: <u>Full Text (subscription or payment may be</u> <u>required)</u>

Copyright © 2016 HealthDay. All rights reserved.

Citation: Fecal microbiota transplant cost-effective for preventing CDI (2016, December 12) retrieved 17 May 2024 from <u>https://medicalxpress.com/news/2016-12-fecal-microbiota-</u>



transplant-cost-effective-cdi.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.