

Hormonal contraception is safer than expected for women with diabetes

December 15 2016

Strokes and heart attacks are rare for women with diabetes who use hormonal contraception, with the safest options being intrauterine devices (IUDs) and under-the-skin implants, new research published in *Diabetes Care* shows.

The study, one of the first to evaluate [hormonal contraception](#) and health outcomes in women with a chronic condition, should encourage physicians to include implants and IUDs in [birth control](#) discussions with diabetic patients.

"Clinicians need to get beyond the idea that birth control just means 'the pill,'" said study senior author Eleanor Bimla Schwarz, professor of internal medicine at UC Davis Health System. "There are options that are safe and effective for all women, including those with diabetes."

Estrogen-containing birth control—including oral contraceptives, transdermal patches and vaginal rings—prevent pregnancy by suppressing ovulation. While effective contraceptives, these methods increase women's risks for heart attacks, strokes and [blood clots](#). Physicians have been especially reluctant to prescribe hormonal birth control to women with diabetes, as adults with diabetes are two to four times more likely to die from heart disease than adults who do not have diabetes.

The study authors wanted to know to what extent the risks of cardiovascular events for diabetic women differed with various types of

hormonal birth control. Using data from Clinformatics, a health claims database encompassing 15 million commercially-insured people throughout the U.S., they examined information from 2002 to 2011 on reproductive-aged females with type 1 or type 2 diabetes. The records of nearly 150,000 women were evaluated for hormonal birth control prescriptions and the occurrence of strokes, heart attacks or blood clots, also known as thromboembolism.

The outcomes showed that the vast majority of diabetic women—72 percent—did not receive prescription contraception of any kind, even though pregnancy planning is critical for this population.

"This was alarming, since women with diabetes become pregnant as often as other women," said lead author Sarah O'Brien, associate professor with Nationwide Children's Hospital. "Pregnancy timing is critical for women with diabetes. It's best to carefully plan pregnancies and ensure that the diabetes is under good control, because high sugars can cause an increased chance of birth defects."

Overall, thromboembolic events among women in the study were low, with 6.3 events per 1,000 women each year. The contraceptives least likely to be associated with thrombosis were IUDs and subdermal implants. Estrogen patches and progestin-only injections were both associated with slightly increased risks of thromboembolism.

"The next step is to understand the best ways to share this information with [women](#) who have [diabetes](#) and make sure they are consistently offered a full range of contraceptive options," Schwarz said.

Titled "Hormonal Contraception and Risk of Thromboembolism in Women with Diabetes," the study is online now and will appear in the February 2017 issue of the journal.

More information: Sarah H. O'Brien et al, Hormonal Contraception and Risk of Thromboembolism in Women With Diabetes, *Diabetes Care* (2016). [DOI: 10.2337/dc16-1534](https://doi.org/10.2337/dc16-1534)

Provided by UC Davis

Citation: Hormonal contraception is safer than expected for women with diabetes (2016, December 15) retrieved 10 April 2024 from <https://medicalxpress.com/news/2016-12-hormonal-contraception-safer-women-diabetes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--