

Vigorous IV hydration regimen cuts post-ERCP pancreatitis risk

December 22 2016



(HealthDay)—Vigorous periprocedural intravenous fluid resuscitation

(IVFR) with lactated Ringer's solution can reduce the incidence and severity of post-endoscopic retrograde cholangiopancreatography (ERCP) pancreatitis in average-risk and high-risk cases, according to a study published in the January issue of *Clinical Gastroenterology and Hepatology*.

Jun-Ho Choi, M.D., from Dankook University College of Medicine in Cheonan, Korea, and colleagues randomly assigned 510 [patients](#) (1:1) to either vigorous IVFR (lactated Ringer's solution in an initial bolus of 10 mL/kg before the procedure, 3 mL/kg/h during the procedure and for eight hours after the procedure, and a post-procedure bolus of 10 mL/kg) or a standard IVFR (lactated Ringer's solution at 1.5 mL/kg/h during and for eight hours after the [procedure](#)).

The researchers found that the main indications for ERCP were choledocholithiasis (58 percent) and malignant biliary stricture (27 percent). Post-ERCP pancreatitis developed in 11 patients in the vigorous IVFR group and 25 patients in the standard IVFR group (relative risk, 0.41; $P = 0.016$). In the vigorous group, a significantly smaller proportion of patients developed moderate or severe acute pancreatitis versus the standard IVFR group ($P = 0.040$). One patient in the vigorous IVFR group developed peripheral edema.

"Additional confirmatory studies will be necessary to support our conclusions and to assess the optimal protocol and volume of IVFR," the authors write.

More information: [Full Text Editorial](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Vigorous IV hydration regimen cuts post-ERCP pancreatitis risk (2016, December 22)
retrieved 30 April 2024 from
<https://medicalxpress.com/news/2016-12-vigorous-iv-hydration-regimen-post-ercp.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.