


# Brain stimulation used like a scalpel to improve memory

January 19 2017

---



An individual receiving noninvasive brain stimulation ('high-frequency, repetitive, transcranial electromagnetic stimulation'). Credit: Northwestern University

Northwestern Medicine scientists showed for the first time that non-invasive brain stimulation can be used like a scalpel, rather than like a hammer, to cause a specific improvement in precise memory.

Precise [memory](#), rather than general memory, is critical for knowing details such as the specific color, shape and location of a building you are looking for, rather than simply knowing the part of town it's in. This type of memory is crucial for normal functioning, and it is often lost in people with serious [memory disorders](#).

"We show that it is possible to target the portion of the [brain](#) responsible for this type of memory and to improve it," said lead author Joel Voss, assistant professor of medical social sciences at Northwestern University Feinberg School of Medicine. "People with brain injuries have problems with precise memory as do individuals with dementia, and so our findings could be useful in developing new treatments for these conditions."

By stimulating the brain network responsible for [spatial memory](#) with powerful electromagnets, scientists improved the precision of people's memory for identifying locations. This benefit lasted a full 24 hours after receiving stimulation and corresponded to changes in brain activity.

"We improved people's memory in a very specific and important way a full day after we stimulated their brains," Voss said.

The paper was published Jan. 19 in *Current Biology*.

The research enhances scientific understanding of how memory can be improved using noninvasive stimulation. Most previous studies of noninvasive brain stimulation have found only very general and short-lived effects on thinking abilities, rather than highly specific and long-lasting effects on an ability such as precise memory.

The scientists used MRI to identify memory-related brain networks then stimulated them with noninvasive electromagnetic stimulation. Detailed memory tests were used to show that this improved spatial precision memory, and EEG was used to show that these memory improvements corresponded to indicators of improved brain network function.

Provided by Northwestern University

Citation: Brain stimulation used like a scalpel to improve memory (2017, January 19) retrieved 20 March 2024 from <https://medicalxpress.com/news/2017-01-brain-scalpel-memory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.