

# A new brain mapping technique reveals circuitry of Parkinson's disease tremors

January 27 2017, by Tom Abate

---



Credit: AI-generated image ([disclaimer](#))

If a piece of electronics isn't working, troubleshooting the problem often involves probing the flow of electricity through the various components of the circuit to locate any faulty parts.

Stanford bioengineer and neuroscientist Jin Hyung Lee, who studies

Parkinson's disease, has adapted that idea to diseases of the brain, creating a new way to turn on specific types of neurons in order to observe how this affects the whole brain. The work is described in the Jan. 26 issue of *Neuron*.

Lee, who trained as an electrical engineer before becoming a brain researcher, wanted to give neuroscientists a way to probe brain ailments similar to how engineers troubleshoot faulty electronics.

"Electrical engineers try to figure out how individual components affect the overall circuit to guide repairs," Lee said.

In the short term, her technique should help improve treatments for Parkinson's disease. In the long run it provides a methodology to identify, map and ultimately repair [neural circuits](#) associated with other brain diseases.

## Seeing the circuit

Lee's circuit-mapping approach combines two experimental tools with a computational method. The first experimental tool is optogenetics. Pioneered by Stanford bioengineer Karl Deisseroth, optogenetics modifies specific types of neurons – the basic working parts of the brain – so they can be turned on in response to light. The second experimental tool is called functional MRI, or fMRI, which measures blood flow in the brain. Increased [blood flow](#) is associated with increased activity. Using optogenetics to turn on a specific type of neuron, and fMRI to observe how other regions of the brain responded, Lee then used a computational analysis to map the entire, specific neural circuit and also determine its function.

## Controlling Parkinson's tremors

One hallmark of Parkinson's disease are uncontrollable tremors. Neuroscientists believe that these tremors are caused by malfunctions in the neural pathways that control motion. They know that different regions of the brain are constantly forming circuits to carry out tasks, whether motion or speech. However, prior to Lee's technique, researchers had no way to show how activating a specific type of neuron might cause a specific circuit to form in the whole brain.

Testing her approach on rats, Lee probed two different types of neurons known to be involved in Parkinson's disease – although it wasn't known exactly how. Her team found that one type of neuron activated a pathway that called for greater motion while the other activated a signal for less motion. Lee's team then designed a computational approach to draw circuit diagrams that underlie these neuron-specific brain circuit functions.

"This is the first time anyone has shown how different neuron types form distinct whole brain circuits with opposite outcomes," Lee said.

Lee said the findings in this paper should help to improve treatments for Parkinson's disease. Neurosurgeons are already using a technique called [deep brain stimulation](#) (DBS) to calm Parkinson's tremors in their patients. DBS delivers tiny electric jolts to neurons thought to be responsible for the tremors. A more precise understanding of the how those neurons work to control motion could help guide more effective stimulation.

But more broadly speaking, Lee thinks that her technique – optogenetic fMRI combined with computational modeling – gives researchers a new way to reverse-engineer the functions of the many different types of neurons in the [brain](#) and the bafflingly diverse array of neural circuits formed to carry out different commands.

**More information:** David Bernal-Casas et al. Studying Brain Circuit Function with Dynamic Causal Modeling for Optogenetic fMRI, *Neuron* (2017). [DOI: 10.1016/j.neuron.2016.12.035](https://doi.org/10.1016/j.neuron.2016.12.035)

Provided by Stanford University

Citation: A new brain mapping technique reveals circuitry of Parkinson's disease tremors (2017, January 27) retrieved 4 May 2024 from <https://medicalxpress.com/news/2017-01-brain-technique-reveals-circuitry-parkinson.html>

|  |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|