

Why we need to keep an eye on whether a blood infection in cattle is linked to breast cancer in humans

January 11 2017, by Meredith Frie



Credit: AI-generated image ([disclaimer](#))

Humans began domesticating animals for food over [10,000 years ago](#), cultivating a close relationship with animals over the following millennia. Like humans, animals can get sick, and sometimes infections pass between humans and animals. Some of these infections, [like ringworm](#),

are mostly harmless, while others, like [bovine tuberculosis](#), are extremely serious.

But how do we find out if these infections pose a risk to humans? I study dairy cows infected with bovine leukemia virus (BLV), which is found in most of the dairy herds in the U.S. Scientists are trying to figure out if BLV infects humans and, if it does, whether there is a link between BLV and breast cancer.

This kind of research is not only a great example of how scientists monitor health risks in our food supply, but also why it's critical to revisit, and maybe revise, older scientific conclusions as new and improved technologies become available.

What is BLV?

When BLV was first discovered in the late 1960s, scientists set out to learn more about it, including the possibility of BLV infection in humans. Based on the scientific techniques available at the time, it was determined that BLV was not a risk to cattle or [human health](#).

But with a shift from small farms to industrialized agriculture, BLV infection rates have skyrocketed since the 1960s. Today [in the U.S.](#), BLV is present in 83 percent of dairy herds, and almost 40 percent of all dairy cows are infected. BLV is also present in 39 percent of U.S. beef herds.

The average American consumes almost [620 pounds of dairy](#) and over [50 pounds of beef](#) every year.

Given the increase in BLV infections, American diets and major advances in scientific technology allowing for greater detection of BLV, researchers decided it was time to revisit whether BLV poses any risk to

humans.

Does BLV infect humans?

A 2003 study from researchers at UC Berkeley, led by Gertrude Buehring, used newer, highly sensitive techniques to test 257 human blood samples, finding antibodies for BLV in [74 percent of them](#).

So what does that mean? Antibodies can develop against a virus whether it is alive or dead. But, only a live virus can infect and replicate within cells, causing illness. This study told us that humans are exposed to BLV, but not if humans are getting infected with live BLV.

The most probable way people are exposed to BLV is by consuming the milk or meat of infected cows. Since BLV is a blood-borne virus that is transmitted through bodily fluids, transmission through consumption is not likely, though not impossible.

Infected mothers (both humans and [cows](#)) can transmit these types of viruses to their babies when nursing, but this type of transmission would probably not happen to adults. And in the event that BLV could infect adults after ingestion, cooking or [pasteurization](#) would [kill the virus anyway](#).

However, consuming pasteurized milk could provide exposure [to dead BLV](#), which could explain the presence of antibodies against BLV in our blood. Although research hasn't investigated whether BLV can be found in meat, it is possible.

The antibody data from Dr. Buehring's study showed that we are likely exposed to BLV, either live or dead, and these results merit revisiting a scientific question previously considered settled. Could BLV infect and replicate within human cells?

Unfortunately, the research on this question has provided conflicting answers.

The evidence for BLV infection in humans

The Buehring group, which found BLV antibodies in humans, published research in 2015 reporting that BLV had been found in [cancerous human breast tissue](#).

Specifically, they [found BLV DNA](#) (indicating infection) in 29 percent of healthy breast tissues and in 59 percent of cancerous breast tissues analyzed. But BLV protein, which suggests replication, was detected in only 6 percent of samples – too few to determine if the protein was more prevalent in cancerous [breast tissue](#). However, BLV DNA was highly associated with cancerous tissue over healthy tissue. This association would suggest that BLV is in some way related to, perhaps even causing, breast cancer.

In a separate publication, the Buehring group [found BLV DNA](#) in 44 percent of 219 breast tissue samples, suggesting that BLV does infect humans.

The evidence against BLV infection in humans

But other researchers haven't found the same thing.

Researchers in Belgium examined 51 breast cancer tissue samples for BLV DNA, but they [found none](#). Another study conducted by the Thiel research group in 2007 looked for BLV DNA in cancerous T cell (blood cancer) samples, which are caused by a close viral relative of BLV. However, [they didn't find any BLV DNA](#) in the samples they examined.

The Su team at the University of Texas broadly probed for active viruses

within a wide range of malignant cancers (including breast cancer), and they [didn't find evidence](#) of any viral activity in the breast cancer samples, including BLV. This contradicts the Buehring results that showed 6 percent of tumor samples with BLV protein.

Previous research has also investigated whether [dairy consumption](#) was linked to breast cancer, including the [consumption of unpasteurized milk](#). These studies found no relationship between milk consumption and breast cancer, and one would expect a relationship if BLV were causing breast cancer.

What does BLV do to cows?

BLV does not cause breast cancer in cows, although BLV has been detected in bovine [mammary tissue](#). Instead, BLV causes [leukemia or lymphoma](#), which are blood cancers, and only about 5 percent or fewer BLV-infected cows will develop cancer. That could be related to their short lifespan – dairy cows are usually slaughtered for meat around [4-5 years of age](#).

New research suggests that BLV infection in dairy cows has more negative effects than previously appreciated.

BLV-infected cows [produce less milk and have shorter lifespans](#). It's likely that BLV infection [impairs their immune system](#), and a healthy immune system is essential to the well-being and productivity of [dairy cows](#).

Even if BLV isn't a risk to human health, studying it remains important because of the risk it poses to dairy cattle.

Should you be worried about BLV?

Here's what we know: Humans are probably exposed to BLV through the meat and dairy consumed from infected cattle, but we don't know whether we are exposed to live or dead BLV. If we are exposed to live BLV, it's likely due to consuming raw milk products or undercooked meat. And if we are getting infected with BLV, it could possibly increase the risk of getting [breast cancer](#), according to one study.

Today the research suggests that BLV isn't a risk to humans. But, if you are worried, avoid [unpasteurized dairy products](#) and make sure your [meat is fully cooked](#) – and these are important practices for staying healthy anyway.

While the current scientific literature suggests that BLV isn't a risk to humans, the question about BLV and its risk to humans illustrates an important principle of science – and of the relationship between [human](#) and animal health.

Animal agriculture has existed for 10,000 years, and BLV was discovered only 40 years ago. Our scientific knowledge expands every day due to improved technologies and increased understanding of the world. Often, this means that we need to refine, or even revise, previously held scientific truths.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: Why we need to keep an eye on whether a blood infection in cattle is linked to breast cancer in humans (2017, January 11) retrieved 8 May 2024 from <https://medicalxpress.com/news/2017-01-eye-blood-infection-cattle-linked.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.