

Increase noted in mindfulness practices from 2002 to 2012

January 12 2017



(HealthDay)—The prevalence of specific mindfulness practices has

increased in recent years, with variation in rates of engagement among worker groups, according to a report published in the Jan. 5 issue of the U.S. Centers for Disease Control and Prevention's *Preventing Chronic Disease*.

Diana Kachan, Ph.D., from the University of Miami, and colleagues used 2002, 2007, and 2012 National Health Interview Survey data for 85,004 adults to examine 12-month engagement in meditation, yoga, tai chi, and qigong.

The researchers found that there was a significant increase in reported yoga practice prevalence, from 6.0 percent in 2002 to 11.0 percent in 2012; meditation rates increased significantly from 8.0 percent in 2002 to 9.9 percent in 2007. Compared to white-collar [workers](#), farm workers and blue-collar workers had significantly lower mindfulness practice, in multivariable models (odds ratios, 0.42 and 0.63, respectively).

"Worker groups with low rates of engagement in mindfulness practices could most benefit from workplace mindfulness interventions," the authors write. "Improving institutional factors limiting access to mindfulness-based wellness programs and addressing existing beliefs about mindfulness practices among underrepresented worker groups could help eliminate barriers to these programs."

More information: [Full Text](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Increase noted in mindfulness practices from 2002 to 2012 (2017, January 12) retrieved 24 April 2024 from <https://medicalxpress.com/news/2017-01-mindfulness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.