

Quenched activity-based probe imaging beneficial in NMSC

January 30 2017



(HealthDay)—Quenched activity-based probe imaging can discriminate



cancer from normal appearing skin tissue, according to a study published in the February issue of the *Journal of the American Academy of Dermatology*.

Ethan Walker, M.D., Ph.D., from Case Western Reserve University in Cleveland, and colleagues examined the use of quenched activity-based probe imaging to discriminate cancerous versus normal-appearing <u>skin</u> <u>tissue</u>. They applied the quenched activity-based probe GB119 to nonmelanoma skin cancers (NMSCs) excised from 68 patients. Activation of the probe was validated for hematoxylin-eosin-confirmed cancerous tissue versus normal-appearing skin tissue.

The researchers found that the overall estimated sensitivity and specificity were 0.989 (95 percent confidence interval, 0.940 to 1.00) and 0.894 (95 percent confidence interval, 0.769 to 0.965), respectively, for differentiation of <u>basal cell carcinoma</u> and <u>squamous cell carcinoma</u> from normal-appearing skin with topical application of the probe. Compared with conventional hematoxylin-eosin-based pathology, probe activation accurately defined peripheral margins of NMSC.

"These findings merit further studies to determine whether quenched activity-based <u>probe</u> technology may enable cost-effective increased cure rates for patients with NMSC by reducing re-excision and recurrence rates with a rapid and easily interpretable technological advance," the authors write.

Several authors disclosed financial ties to Akrotome Imaging.

More information: <u>Full Text (subscription or payment may be</u> <u>required)</u>

Copyright © 2017 HealthDay. All rights reserved.



Citation: Quenched activity-based probe imaging beneficial in NMSC (2017, January 30) retrieved 2 May 2024 from https://medicalxpress.com/news/2017-01-quenched-activity-based-probe-imagingbeneficial.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.